

2010



2010

Flatout Gaskets On-Line Catalog



***FLATOUT RCC COPPER AND MULTI-LAYER STEEL HEAD GASKETS
HEADER GASKETS IN RCC, GRAPHITE AND MUTLI-LAYER STEEL
COMPETITION & MOLDED RUBBER INTAKE GASKETS
MOLDED RUBBER AND PAPER OIL PAN GASKETS
STEEL-CORE/PAPER VALVE COVER GASKETS
SMALL ENGINE/KARTING GASKETS
DIESEL PERFORMANCE GASKETS***

HEAD GASKET & SHIM GASKET - ORDERING INFO:

“RCC - Rubber Coated Copper Head Gaskets:

Available in the below thicknesses and ANY bore size.

.020” .030” .040” .050” .056” .064” .072” .080” .090” .100” .125”

“SABERSEAL Multi-Layer” Head Gaskets:

“SABERSEAL MLS” Head Gaskets may be ordered in different thickness choices. Please call for details and pricing.

“RCA - Rubber Coated Aluminum:”

Shims are available in multiple thickness & boresize choices.

See back page of catalog for “Things to Know”&ordering details.

Flatout Gaskets

668 Tower Rd. Mundelein, IL. 60060

Phone: 877.837.9200 Fax: 847.837.9628

Web: www.flatoutgroup.com

E-mail: info@flatoutgroup.com





2010 FLATOUT GASKETS ON-LINE CATALOG

TABLE OF CONTENTS

THINGS TO KNOW & TECH TIPS.....	A
AMC.....	1
BUICK V-6 & V-8.....	1
CADILLAC V-6 & V-8.....	1
CHEVROLET SMALL BLOCK V-8.....	1-3
CHEVROLET LT-5 & LS-1 V-8.....	4
CHEVROLET BIG BLOCK V-8.....	5-6
CHEVROLET I-4 & 6 CYL.	6-7
CHRYSLER SMALL BLOCK V-8.....	7-8
CHRYSLER BIG BLOCK WEDGE & HEMI V-8.....	8-9
CHRYSLER/DODGE V-10.....	9
CHRYSLER I-4 & 6 CYL.....	9
FORD SMALL BLOCK V-8.....	10-11
FORD BIG BLOCK V-8.....	11-12
FORD MODULAR V-8.....	12
FORD I-4 & 6 CYL. & FLATHEAD.....	13
OLDSMOBILE I-4, V-6 & V-8.....	13-14
PONTIAC V-8.....	14
GM PRO STOCK/PRO MOD.....	14-15
IMPORTS.....	15-16
SUPERCHARGER & INJECTOR.....	16
TRANSMISSION & DIFFERENTIAL.....	16
DIESEL PERFORMANCE.....	17
KARTING & JR. DRAGSTER.....	17-18
UNIVERSAL EXHAUST COLLECTOR.....	18
UNIVERSAL INTAKE BLANKS.....	18
GENERAL INFO.....	19

**NOTE: 10-PAKS ARE AVAILABLE IN ANY PART BY ADDING
-10 TO THE END OF THE BASE # CALL FOR PRICING.**

FLATOUT GASKETS
668 TOWER RD., MUNDELEIN, IL. 60060
TOLL-FREE - 877.837.9200
WWW.FLATOUTGROUP.COM



FLATOUT "RCC" COPPER HEAD GASKETS

FLATOUT PART # STRATEGY



HOW TO ORDER:

When ordering Flatout Copper Head Gaskets, keep in mind that all of our part numbers incorporate thickness and boresize into the complete number and are typically sold in pairs.

1). **BASE PART NUMBER:** Review the catalog or website to find the "Base" 4-digit gasket part number for your engine application. For example, the Chevrolet Small Block 350 has three possible head gasket choices. Let's choose 9001 for this example.

2). **THICKNESS AVAILABILITY:** Flatout Copper Head Gaskets are available in many thickness choices, including, .020", .031", .040", .050", .056", .064", .072", .080", .090", .100" & .125". The gasket thickness becomes abbreviated in our numbering scheme. Let's choose .072" thick for this example. The "7" is added to the part number making the number now – 90017.

3). **BORE SIZE AVAILABILITY:** Flatout Copper Head Gaskets are available in several standard bore sizes as well as custom sizes for no additional cost. We recommend the gasket bore be .020" larger than the engine bore. Let's choose a gasket bore diameter of 4.155". Adding these four digits to the Flatout part number gives us a completed number of 900174155.

4). **GENERAL INFO:** Flatout Copper Head Gaskets are made using our exclusive "RCC" or Rubber Coated Copper. The base metal is 100%, soft annealed copper. The specially formulated, high temperature rubber coating is designed to offer the ultimate in sealing coolant and oil. Plain head gaskets can be ordered without our proprietary RCC coating by specifying a "P" designation after the complete part number.

5). **DECK & HEAD SURFACE PREPERATION:** We recommend a machined block/head receiver groove with stainless steel o-ring wire for best results. Retorque engine when cool after first heat cycle is also recommended.

FLATOUT "SABERSEAL" MLS HEAD GASKETS

FLATOUT GASKETS is proud to offer the finest "MLS" or Multi-Layer Steel head gaskets available today! Multi-Layer Steel head gaskets offer the best torque retention, sealing and the least bore distortion of any head gasket technology available.

1). **SURFACE FINISHES:** MLS head gaskets require deck/head surface finishes below 80 RMS for optimal sealing. Please consult your engine or fastener manufacturer's recommendation on fastener re-usability.

2). **CUSTOM THICKNESSES:** Flatout SaberSeal MLS Head Gaskets may be custom ordered in different thicknesses for compression ratio adjustments. Call for details & pricing.

Auxiliary sealers can be added to "RCC or "MLS" head gasket technology. A high grade/temperature RTV sealer is the only product recommended.





AMC 304/360/401 V-8 RCC COPPER & MLS HEAD GASKETS

9050	67-'69 RCC COPPER w/.562" dowels.(2)
9088	70-'78 RCC COPPER w/.625" dowels.(2)
9727	72-'74 390-401CI MLS .040" THICK & 4.250" BORE.(1)
9152	INDY CYL. RCC COPPER w/add. lower bolt holes.(2)
9153	INDY CYL. RCC COPPER w/add. lower & large bolt holes w/.625" dowels.(2)
9692	INDY CYL. RCC COPPER w/add. interior lower bolt holes w/.625" dowels.(2)

BUICK 3.8L V-6 RCC COPPER & SABERSEAL MLS HEAD GASKETS

9576	L67 SUPERCHARGED RCC COPPER L & R.(2)
9292	L67 SUPERCHARGED RCC COPPER w/valve reliefs. L & R.(2)
9054	STAGE 1&2 '75-'87 RCC COPPER.(2)
9212	STAGE 1&2 '75-'87 MLS .040" THICK & 3.860" BORE.(1)
9213	STAGE 1&2 '75-'87 MLS .040" THICK & 4.020" BORE.(1)
9214	STAGE 1&2 '75-'87 MLS .040" THICK & 4.090" BORE.(1)
9222	3800 SERIES 2 '96-'03 MLS .065" THICK & 3.840" BORE L/S.(1)
9221	3800 SERIES 2 '96-'03 MLS .065" THICK & 3.840" BORE R/S.(1)

BUICK 400/430/455CI V-8 RCC COPPER & SABERSEAL MLS HEAD GASKETS

9674	67-'76 RCC COPPER.(2)
9336	67-'76 MLS .040" THICK & 4.312" BORE.(1)
9337	67-'76 MLS .040" THICK & 4.385" BORE.(1)
9338	67-'76 MLS .040" THICK & 4.400" BORE.(1)

BUICK V-6 & V-8 MISC. GASKETS

7078C	3.8L STAGE 1 V-6 HEADER Port 1.16"x1.46".RCC COPPER.(2)
7057C	455CI '70-'76 V-8 HEADER Port 1.20"x1.95".RCC COPPER.(6 parts)
7057S	455CI 70-'76 V-8 HEADER Port 1.20"x1.95".STEELCLAD/GRAPHITE.(6 parts)
6039	3.8L V-6 VALVE COVER. Silicone.(2)

CADILLAC V-6 & V-8 RCC COPPER & SABERSEAL MLS HEAD GASKETS

9161	3.2L V-6 DOHC SUPERCHARGED RCC COPPER.(2)
9130	3.6L V-6 DOHC HFV-6 RCC COPPER L & R.(2)
9663	3.6L V-6 DOHC HFV-6 RCC COPPER w/o coolant holes. L & R.(2)
9664	3.6L V-6 DOHC HFV-6 RCC COPPER w/o coolant & oil drainback holes. L & R.(2)
9057	472-500CI '68-'72 V-8 RCC COPPER.(2)
9220	4.6L V-8 NORTHSTAR 32V MLS .065" THICK & 94MM (3.700") BORE L/S.(1)
9219	4.6L V-8 NORTHSTAR 32V MLS .065" THICK & 94MM (3.700") BORE R/S.(1)

CADILLAC 472-500CI V-8 GRAPHITE & RCC COPPER HEADER GASKETS

7097S	68-'72 Port 1.65"x1.71.STEELCLAD/GRAPHITE.(2)
7097C	68-'72 Port 1.65"x1.71.RCC COPPER.(2)

CHEVROLET 265-400CI SB RCC COPPER & SABERSEAL MLS HEAD GASKETS

9001	STK. RCC COPPER standard configuration & coolant holes.(2)
9628	STK. RCC COPPER w/o coolant holes.(2)
9639	STK. RCC COPPER for 1/2" studs.(2)
9631	STK. RCC COPPER for 1/2" studs w/o coolant holes.(2)
9629	MOD. RCC COPPER w/modified coolant holes w/o steam holes for nitrous & boost.(2)
9706	STK. SPREAD PORT '07 RCC COPPER w/4.500" B.C.'s.(2)
9350	STK. MLS .040" THICK & 4.080" BORE w/valve reliefs.(1)
9179	STK. MLS .040" THICK & 4.125" BORE w/steam holes.(1)
9177	STK. MLS .040" THICK & 4.165" BORE w/steam holes.(1)
9351	STK. MLS .040" THICK & 4.165" BORE w/valve reliefs.(1)
9176	STK. MLS .040" THICK & 4.200" BORE w/steam holes.(1)
9033	350CI LT-1&4 '92-'97 RCC COPPER.(2)
9048	350CI LT-1&4 '92-'97 RCC COPPER w/valve reliefs.(2)
9210	350CI LT-1&4 '92-'97 MLS .040" THICK & 4.040" BORE w/valve reliefs.(1)
9211	350CI LT-1&4 '92-'97 MLS .040" THICK & 4.100" BORE w/valve reliefs.(1)
9162	400CI RCC COPPER w/steam holes between cylinders.(2)
9352	SB-2 MLS .040" THICK & 4.190" BORE w/steam holes.(1)
9315	SB-2 MLS .040" THICK & 4.200" BORE w/steam holes.(1)
9353	SB2-2 MLS .040" THICK & 4.125" BORE.(1)
9354	SB2-2 MLS .040" THICK & 4.165" BORE w/steam holes.(1)
9180	18/23° MLS .040" THICK & 4.060" BORE.(1)
9178	18/23° MLS .040" THICK & 4.100" BORE.(1)
9736	AFR RCC COPPER w/modified coolant holes & w/o steam holes.(2)
9341	BRODIX 12/23° MLS .040" THICK & 4.030" BORE.(1)



Toll Free Tech Line 877-837-9200

DID YOU KNOW? FLATOUT OFFERS COPPER HEAD GASKETS IN ANY BORESIZES



CHEVROLET 265-400CI SMALL BLOCK V-8 PERFORMANCE INTAKE GASKETS	
8001.3	Small Port 1.30"x2.08" .030". Paper w/silicone coating.(2 w/end seals)
8001	Small Port 1.30"x2.08" .060". Paper w/silicone coating.(2 w/end seals)
8001.2	Small Port 1.30"x2.08" .120". Paper w/silicone coating.(2 w/end seals)
8002.3	Medium Port 1.31"x2.18" .050". Paper steelcore laminate w/silicone coating.(2)
8002	Medium Port 1.31"x2.18" .060". Paper w/silicone coating.(2 w/end seals)
8002.4	Medium Port 1.31"x2.18" .100". Paper steelcore laminate w/silicone coating.(2 w/end seals)
8002.2	Medium Port 1.31"x2.18" .120". Paper w/silicone coating.(2 w/end seals)
8002.1	Medium Port 1.31"x2.18" ALUM. SPACER Kit .125" THICK .060". Paper w/silicone coating.(w/4 gaskets)
8191.3	Port 1.31"x2.33" .050". Steelcore laminate w/silicone coating.(2 w/end seals)
8191	Port 1.31"x2.33" .060". Paper w/silicone coating.(2 w/end seals)
8191.4	Port 1.31"x2.33" .100". Paper steelcore laminate w/silicone coating.(2 w/end seals)
8191.2	Port 1.31"x2.33" .120". Paper w/silicone coating.(2 w/end seals)
8094	Port 1.38"x2.16" .060". Paper w/silicone coating.(2 w/end seals)
8003.3	Large Port 1.38"x2.28" .050". Paper steelcore laminate w/silicone coating.(2)
8003	Large Port 1.38"x2.28" .060". Paper w/silicone coating.(2 w/end seals)
8003.2	Large Port 1.38"x2.28" .120". Paper w/silicone coating.(2 w/end seals)
8004	Ex. Large Port 1.38"x2.34" .060". Paper w/silicone coating.(2 w/end seals)
8004.2	Ex. Large Port 1.38"x2.34" .120". Paper w/silicone coating.(2 w/end seals)
8067.2	Ex. Large Port 1.38"x2.38" .050". Paper steelcore laminate w/silicone coating.(2 w/end seals)
8067	Ex. Large Port 1.38"x2.38" .100". Paper steelcore laminate w/silicone coating.(2 w/end seals)
8016	18° Port 1.25"x2.13" .030". Paper w/silicone coating.(2 w/end seals)
8016.4	18° Port 1.25"x2.13" .050". Paper steelcore laminate w/silicone coating.(2 w/end seals)
8016.2	18° Port 1.25"x2.13" .060". Paper w/silicone coating.(2 w/end seals)
8016.5	18° Port 1.25"x2.13" .100". Paper steelcore laminate w/silicone coating.(2 w/end seals)
8016.3	18° Port 1.25"x2.13" .120". Paper w/silicone coating.(2 w/end seals)
8016.6	18° Port 1.30"x2.20" .050" w/restrd. Front water port. Paper steelcore laminate w/silicone coating.(2)
8016.7	18° Port 1.30"x2.20" .100" w/restrd. Front water port. Paper steelcore laminate w/silicone coating.(2)
8158.3	18° Port 1.36"x2.24" .050". Paper steelcore laminate w/silicone coating.(2 w/end seals)
8158	18° Port 1.36"x2.24" .060". Paper w/silicone coating.(2 w/end seals)
8158.4	18° Port 1.36"x2.24" .100". Paper steelcore laminate w/silicone coating.(2 w/end seals)
8158.2	18° Port 1.36"x2.24" .120". Paper w/silicone coating.(2 w/end seals)
8210	18° Port 1.25"x2.13" Valley Cover Combination .060". Paper w/silicone coating.(2 w/end seals & dist. gaske
8210.2	18° Port 1.25"x2.13" Valley Cover Combination .120". Paper w/silicone coating.(2 w/end seals & dist. gaske
8079	BRODIX BD2000 Oval Port 1.44"x2.17" .060". Paper w/silicone coating.(2)
8079.2	BRODIX BD2000 Oval Port 1.44"x2.17" .120". Paper w/silicone coating.(2)
8097	BRODIX CANTED VALVE Port 1.81"x2.43" .060". Paper w/silicone coating.(2)
8097.2	BRODIX CANTED VALVE Port 1.81"x2.43" .120". Paper w/silicone coating.(2)
8030	DART/BRODIX 18° Port 1.45"x2.30" .060". Paper w/silicone coating.(2 w/end seals)
8202.3	DART LITTLE CHIEF Port 1.88"x2.32".050". Paper steelcore laminate w/silicone coating.(2)
8202	DART LITTLE CHIEF Port 1.88"x2.32".060". Paper w/silicone coating.(2)
8202.4	DART LITTLE CHIEF Port 1.88"x2.32".100". Paper steelcore laminate w/silicone coating.(2)
8202.2	DART LITTLE CHIEF Port 1.88"x2.32".120". Paper w/silicone coating.(2)
8202.5	DART LITTLE CHIEF Port 1.88"x2.32".030". Paper w/silicone coating.(2)
8010	4.8L VORTEC Port 1.21"x2.19" .060". Paper w/silicone coating.(2 w/end seals)
8010.2	4.8L VORTEC Port 1.21"x2.19" .120". Paper w/silicone coating.(2 w/end seals)
8177	4.8L VORTEC '99-'05. Molded silicone rubber/composite carrier.(2)
8012.3	867 Raised Port 1.32"x2.05" .050". Paper steelcore laminate w/silicone coating.(2)
8012	867 Raised Port 1.32"x2.05" .060". Paper w/silicone coating.(2 w/end seals)
8012.2	867 Raised Port 1.32"x2.05" .120". Paper w/silicone coating.(2 w/end seals)
8089	350CI SUPER STOCK Port 1.27"x1.96" .060". Paper w/silicone coating.(2)
8089.2	350CI SUPER STOCK Port 1.27"x1.96" .120". Paper w/silicone coating.(2)
8022	SB-2 MIRROR Port 1.40"x1.91" .060". Paper w/silicone coating.(2)
8038	SB-2 MIRROR Port 1.58"x2.01" Valley Cover combination .060". Paper w/silicone coating.(2)
8038.2	SB-2 MIRROR Port 1.58"x2.01" Valley Cover combination .120". Paper w/silicone coating.(2)
8205	SB-2 MIRROR Port 1.90"x2.01" Valley Cover combination .060". Paper w/silicone coating.(2)
8205.2	SB-2 MIRROR Port 1.90"x2.01" Valley Cover combination .120". Paper w/silicone coating.(2)
8206	SB-2 MIRROR Oval Port 1.78"x2.28" Valley Cover combination .060". Paper w/silicone coating.(2)
8206.2	SB-2 MIRROR Oval Port 1.78"x2.28" Valley Cover combination .120". Paper w/silicone coating.(2)
8198	STK. '07 Spread Port 1.69"x2.08" .060". Paper w/silicone coating.(2)
8198.2	STK. '07 Spread Port 1.69"x2.08" .120". Paper w/silicone coating.(2)
8125	5.0/5.7L '96-'98. Silicone.(1)
8178	5.7L Truck '96-'03. Molded silicone rubber/composite carrier.(2)

**DID YOU KNOW? FLATOUT OFFERS MLS
HEAD GASKETS IN CUSTOM THICKNESSES**





CHEVY 265-400CI SB V-8 GRAPHITE & RCC COPPER HEADER GASKETS	
7114C	Ultra Small Port 1.13"x1.31".RCC COPPER.(2)
7001	STK. Small Port 1.51"x1.52".GRAPHITE.(2)
7001C	STK. Small Port 1.51"x1.52".RCC COPPER.(2)
7001S	STK. Small Port 1.51"x1.52".STEELCLAD/GRAPHITE.(2)
7170	Medium Port 1.55"x1.56".GRAPHITE.(2)
7170S	Medium Port 1.55"x1.56".STEEL CLAD/GRAPHITE.(2)
7170C	Medium Port 1.55"x1.56".RCC COPPER.(2)
7047C	Large Port 1.60"x1.68".RCC COPPER.(2)
7047S	Large Port 1.60"x1.68".STEELCLAD/GRAPHITE.(2)
7010	18/23° Port 1.60"x1.74".GRAPHITE.(2)
7010C	18/23° Port 1.60"x1.74".RCC COPPER.(2)
7010S	18/23° Port 1.60"x1.74".STEELCLAD/GRAPHITE.(2)
7028	18/23° Round Port 2.00" Dia.GRAPHITE.(2)
7028C	18/23° Round Port 2.00" Dia.RCC COPPER.(2)
7002	D-Port 1.50"x1.56".GRAPHITE.(2)
7002C	D-Port 1.50"x1.56".RCC COPPER.(2)
7003	Round/Spread Port 1.83" Dia.GRAPHITE.(2)
7003C	Round/Spread Port 1.83" Dia.RCC COPPER.(2)
7069C	LT1&4 '92-'97 Rect. Port 1.46"x1.58".RCC COPPER.(2)
7069S	LT1&4 '92-'97 Rect. Port 1.46"x1.58".STEELCLAD/GRAPHITE.(2)
7045C	LT1&4 '92-'97 Oval Port 1.52"x1.62".RCC COPPER.(2)
7045S	LT1&4 '92-'97 Oval Port 1.52"x1.62".STEELCLAD/GRAPHITE.(2)
7067C	LT1&4 '92-'97 Lowered D-Port 1.39"x1.61".RCC COPPER.(2)
7063C	SB-2 '97-UP MIRROR Round Port 1.95" Dia.RCC COPPER.(2)
7063S	SB-2 '97-UP MIRROR Round Port 1.95" Dia.STEELCLAD/GRAPHITE.(2)
7121S	VORTEC D-Port 1.44"x1.48".STEELCLAD/GRAPHITE.(2)
7115S	BRODIX TRACK 1 Port 1.40"x1.46".STEELCLAD/GRAPHITE.(2)
7041C	BRODIX Spread/D-Port 1.50"x1.73".RCC COPPER (2)
7009	BRODIX 12° Spread/Raised D-Port 1.58"x1.63".GRAPHITE.(2)
7009C	BRODIX 12° Spread/Raised D-Port 1.58"x1.63".RCC COPPER.(2)
7128C	BRODIX CANTED VALVE Oval Port 1.68"x1.95". RCC COPPER.(2)
7128S	BRODIX CANTED VALVE Oval Port 1.68"x1.95".STEELCLAD/GRAPHITE.(2)
7092C	BRODIX Round Spread/Raised Port 2.0" Dia.RCC COPPER.(2)
7092S	BRODIX Round Spread/Raised Port 2.0" Dia.STEELCLAD/GRAPHITE.(2)
7171C	DART LITTLE CHIEF Port 1.65"x1.85".RCC COPPER(2)
7171S	DART LITTLE CHIEF Port 1.65"x1.85".STEELCLAD/GRAPHITE.(2)
7145C	ALL PRO 23° Round Port 2.03".RCC COPPER.(2)
7145S	ALL PRO 23° Round Port 2.03".STEELCLAD/GRAPHITE.(2)
7077C	HOOKER/STAHL Round Port 1.95" Dia. Header-to-Adapter.RCC COPPER.(2)
7077S	HOOKER/STAHL Round Port 1.95" Dia. Header-to-Adapter.STEELCLAD/GRAPHITE(2)
CHEVROLET 265-400CI V-8 SMALL BLOCK VALVE COVER GASKETS	
6002	STK. 12/18° .060". Paper w/silicone coating.(2)
6002.4	STK. 12/18° .100". Paper steelcore laminate w/silicone coating.(2)
6002.2	STK. 12/18° .120". Paper w/silicone coating.(2)
6044	5.7L Corvette '92-'96. Silicone.(2)
6075	Spread Port '07 .060" w/4.500" B.C.'s. Paper w/silicone coating.(2)
6075.2	Spread Port '07 .120" w/4.500" B.C.'s. Paper w/silicone coating.(2)
6075.3	Spread Port '07 .050" w/4.500" B.C.'s. Steelcore laminate w/silicone coating.(2)
CHEVROLET 265-400CI SMALL BLOCK V-8 OIL PAN GASKETS	
5027	ALL SEASON ONE-PIECE. Molded silicone rubber/steel carrier w/limiters.(1)
5003	STK. Scalloped Rails for stroker & L/S dipstick .060". Paper w/silicone coating & rubber end seals.(4)
5006	ROCKET RAISED CAM .060". Paper w/silicone coating & rubber end seals.(4)
5031	CN Y-BLOCK .060". Paper w/silicone coating.(1)
CHEVROLET 265-400CI SMALL BLOCK V-8 MISCELLANEOUS GASKETS	
1150	Fuel Pump Block-Off Plate .030". Paper w/silicone coating.(1)
1151	Fuel Pump .030". Paper w/silicone coating.(1)
1009	Timing Cover .030". Paper w/silicone coating.(1)
1029	Water Pump .030". Paper w/silicone coating.(2)
1048	TBI Base 750 CFM Port 54mm Dia. .060". Paper w/silicone coating.(1)
1103	5.0/5.7L '96-98 Fuel Meter Body. Molded silicone rubber.(1)
1102	5.0/5.7L '96-'98 TBI Base . Molded silicone rubber.(1)
1140	4.8/5.3/5.7L TBI Base. Molded silicone rubber.(1)



Toll Free Tech Line 877-837-9200

DID YOU KNOW? FLATOUT OFFERS 11 THICKNESS CHOICES IN COPPER!



CHEVY ZR-1LT-5 & LS-1/2/6/7 V-8 RCC COPPER & SABERSEAL MLS HD. GSKTS.	
9145	ZR-1/LT-5 DOHC '90-'95 RCC COPPER L & R.(2)
9079	LS-1/2/6/7 RCC COPPER Std. configuration.(2)
9658	LS-1/2/6/7 RCC COPPER for 1/2" studs.(2)
9659	LS-1/2/6/7 RCC COPPER for 9/16" studs & enlarged dowels.(2)
9436	LS-1&6 MLS .051" THICK & 3.910" BORE.(1)
9236	LS-1&6 MLS .051" THICK & 4.130" BORE.(1)
9241	LS-1&6 MLS .051" THICK & 4.160" BORE.(1)
9173	LS-1&6 MLS .051" THICK & 4.190" BORE. (1)
9233	LS-1&6 MLS w/M.I.D. Sleeves. .040" THICK & 3.910" BORE.(1)
9234	LS-1&6 MLS w/M.I.D. Sleeves. .040" THICK & 4.125" BORE.(1)
9235	LS-1&6 MLS w/M.I.D. Sleeves. .040" THICK & 4.165" BORE.(1)
9437	LS-7 '06-UP MLS .051" THICK & 4.150" BORE.(1)
CHEVY ZR-1LT-5 & LS-1/2/6/7 V-8 INTAKE, PLENUM & INJECTOR GASKETS	
8059.2	ZR-1/LT-5 Injector Std. Port 1.38" Dia. .030". Paper w/silicone coating.(2)
8059	ZR-1/LT-5 Injector Std. Port 1.38" Dia. .060". Paper w/silicone coating.(2)
8061	ZR-1/LT-5 Injector Large Port 1.50" Dia. .060". Paper w/silicone coating.(2)
8061A	ZR-1/LT-5 Injector Large Port 1.50" Dia. .031". RCA ALUMINUM.(2)
8061C	ZR-1/LT-5 Injector Large Port 1.50" Dia. .031". RCC COPPER.(2)
8058	ZR-1/LT-5 Plenum Std. Port 1.38" Dia. .060". Paper w/silicone coating.(2)
8060	ZR-1/LT-5 Plenum Large Port 1.50" Dia. .060". Paper w/silicone coating.(2)
8060A	ZR-1/LT-5 Plenum Large Port 1.50" Dia. .031". RCA ALUMINUM.(2)
8060C	ZR-1/LT-5 Plenum Large Port 1.50" Dia. .031". RCC COPPER.(2)
8063.2	ZR-1/LT-5 Plenum Siamese Port 1.38"x2.95" .030". Paper w/silicone coating.(2)
8063	ZR-1/LT-5 Plenum Siamese Port 1.38"x2.95" .060". Paper w/silicone coating.(2)
8063A	ZR-1/LT-5 Plenum Siamese Port 1.38"x2.95" .031". RCA ALUMINUM.(2)
8063C	ZR-1/LT-5 Plenum Siamese Port 1.38"x2.95" .031". RCC COPPER.(2)
8160	LS-1 Intake. Molded silicone rubber/composite carrier w/limiters.(2)
CHEVY ZR-1LT-5 & LS-1/2/6/7 V-8 GRAPHITE, RCC COPPER & MLS HDR. GSKTS.	
7119C	ZR-1/LT-5 '90-'95 Oval Port 1.60"x2.30".RCC COPPER.(2)
7119S	ZR-1/LT-5 '90-'95 Oval Port 1.60"x2.30".STEELCLAD/GRAPHITE.(2)
7082	LS-1 '97-'03 Rect. Port 1.57"x1.76".GRAPHITE.(2)
7082C	LS-1 '97-'03 Rect. Port 1.57"x1.76". RCC COPPER.(2)
7082S	LS-1 '97-'03 Rect. Port 1.57"x1.76".STEELCLAD/GRAPHITE.(2)
7081	LS-1 '97-'06 Round Port 2.00" Dia.GRAPHITE.(2)
7081C	LS-1 '97-'06 Round Port 2.00" Dia.RCC COPPER.(2)
7081S	LS-1 '97-'06 Round Port 2.00" Dia.STEELCLAD/GRAPHITE.(2)
7081M	LS-1 '97-'06 Round Port 2.00" Dia.MLS Stainless.(2)
7110	LS-7 '06-UP D-Port 1.67"x1.98".GRAPHITE.(2)
7110C	LS-7 '06-UP D-Port 1.67"x1.98".RCC COPPER.(2)
7110S	LS-7 '06-UP D-Port 1.67"x1.98".STEELCLAD/GRAPHITE.(2)
7179	LS-7 '06-UP D-Port w/Enlarged Upper Land Area 1.67"x1.98".GRAPHITE.(2)
7179C	LS-7 '06-UP D-Port w/Enlarged Upper Land Area 1.67"x1.98".RCC COPPER.(2)
CHEVROLET 5.7L ZR-1 LT-5 V-8 OIL PAN GASKETS	
5026	90-'92 .060". Paper w/silicone coating.(1)
5019	93-'95 .060". Paper w/silicone coating.(1)
CHEVROLET 5.7L ZR-1 LT-5 V-8 MISCELLANOUS GASKETS	
1084	90-'95 TBI to Plenum .030". Paper w/silicone coating.(1)
1084.2	90-'95 TBI to Plenum w/o coolant port .030". Paper w/silicone coating.(1)
1182	90-'95 TBI to Plenum Large Port 2.48" .030". Paper w/silicone coating.(1)
1085	90-'95 TBI to Air Horn .030". Paper w/silicone coating.(1)
1086	90-'95 TBI/Top Coolant .060". Paper w/silicone coating.(1)
1076	90-'95 Oil Filter Adapter .060". Paper w/silicone coating.(1)
1074	90-'95 Water Pump .060". Paper w/silicone coating.(1)
1058	90-'95 Water Outlet .030". Paper w/silicone coating.(1)
1072	90-'95 Rear Main Seal Adapter Housing .060". Paper w/silicone coating.(1)
1073	90-'95 Valley Cover .060". Paper w/silicone coating.(1)
1127	90-'92 Timing Cover .060". Paper w/silicone coating.(1)
1075	93-'95 Timing Cover .060". Paper w/silicone coating.(1)
1178	ZR-1 6 Speed Transmission Case .015". Paper w/silicone coating.(1)
1179	ZR-1 6 Speed Transmission Tail Housing .015". Paper w/silicone coating.(1)

**DID YOU KNOW? FLATOUT OFFERS
10-PAKS IN ALL GASKETS - CALL!!!!**





CHEVROLET 396-502CI BIG BLOCK V-8 RCC COPPER & MLS HEAD GASKETS	
9002	GEN. 4 RCC COPPER.(2)
9633	GEN. 4 RCC COPPER for 1/2" studs.(2)
9635	GEN. 4 RCC COPPER w/small bolt holes.(2)
9730	GEN. 4 RFE PROFILER RCC COPPER w/high ear oil returns.(2)
9632	GEN. 4/5/6 RCC COPPER w/o coolant holes.(2)
9634	GEN. 4/5/6 RCC COPPER w/o coolant holes for 1/2" studs.(2)
9017	GEN. 5/6 RCC COPPER.(2)
9311	GEN. 4 MLS .040" THICK & 4.320" BORE.(1)
9578	GEN. 4 MLS .040" THICK & 4.375" BORE.(1)
9189	GEN. 4 MLS .040" THICK & 4.540" BORE.(1)
9190	GEN. 4 MLS .040" THICK & 4.630" BORE.(1)
9579	GEN. 5/6 MLS .040" THICK & 4.320" BORE.(1)
9340	GEN. 6 MLS .040" THICK & 4.470" BORE.(1)
9355	MERCURY GEN. 4 MLS w/2 Bolt Intake Side .051" THICK & 4.500" BORE.(1)
9356	MERCURY GEN. 4 MLS w/2 Bolt Intake Side .051" THICK & 4.530" BORE.(1)
9357	MERCURY GEN. 4 MLS w/2 Bolt Intake Side .051" THICK & 4.580" BORE.(1)
9358	MERCURY GEN. 4 MLS w/2 Bolt Intake Side .051" THICK & 4.600" BORE.(1)
9206	MERCURY GEN. 4/5/6 MLS .051" THICK & 4.500" BORE.(1)
9207	MERCURY GEN. 4/5/6 MLS .051" THICK & 4.530" BORE.(1)
9208	MERCURY GEN. 4/5/6 MLS .051" THICK & 4.580" BORE.(1)
9209	MERCURY GEN. 4/5/6 MLS .051" THICK & 4.600" BORE.(1)
9438	MERCURY 8.1L MLS .051" THICK & 4.280" BORE L/S.(1)
9439	MERCURY 8.1L MLS .051" THICK & 4.280" BORE R/S.(1)
9440	MERCURY 8.1L MLS .051" THICK & 4.350" BORE L/S.(1)
9441	MERCURY 8.1L MLS .051" THICK & 4.350" BORE R/S.(1)
9442	MERCURY 8.1L MLS .051" THICK & 4.450" BORE L/S.(1)
9443	MERCURY 8.1L MLS .051" THICK & 4.450" BORE R/S.(1)
9181	BRODIX BIG DUKE/BRODIE MLS .040" THICK & 4.310" BORE.(1)
9182	BRODIX BIG DUKE/BRODIE MLS .040" THICK & 4.570" BORE.(1)
9183	BRODIX BIG DUKE/BRODIE MLS .040" THICK & 4.630" BORE.(1)
9122	409CI RCC COPPER.(2)
CHEVROLET 396-502CI BIG BLOCK V-8 PERFORMANCE INTAKE GASKETS	
8006	GEN. 4 Port 1.85"x2.55" .060". Paper w/silicone coating.(2 w/end seals)
8006.2	GEN. 4 Port 1.85"x2.55" .120". Paper w/silicone coating.(2 w/end seals)
8006.1	GEN. 4 Port 1.85"x2.55" ALUM. Spacer Kit .125" THICK. .060" Paper w/silicone coating.(w/4 gaskets)
8015.1	GEN. 4 Port 1.85"x2.55" ALUM. Spacer Kit .125" THICK. w/o upper holes .060" Paper w/sil. CTG.(4/gaskets)
8015.4	GEN. 4 Port 1.85"x2.55" w/o upper holes .030". Paper w/silicone coating.(2 w/end seals)
8015	GEN. 4 Port 1.85"x2.55" w/o upper holes .060". Paper w/silicone coating.(2 w/end seals)
8015.3	GEN. 4 Port 1.85"x2.55" w/o upper holes .100". Steelcore laminate/silicone coating.(2)
8015.2	GEN. 4 Port 1.85"x2.55" w/o upper holes .120". Paper w/silicone.(2 w/end seals)
8204	GEN. 4 Ex. Large Port 1.87"x2.82" w/o upper bolt hole .060". Paper w/silicone coating.(2 w/end seals)
8204.2	GEN. 4 Ex. Large Port 1.87"x2.82" w/o upper bolt hole .120". Paper w/silicone coating.(2 w/end seals)
8109	GEN. 4 Oval Port 2.00"x2.20" w/o X-Over .060". Paper w/silicone coating.(2)
8109.2	GEN. 4 Oval Port 2.00"x2.20" w/o X-Over .120". Paper w/silicone coating.(2)
8161	GEN. 4 ALL SEASON Rect. Port 1.85"x2.55" .080". Molded rubber/steel carrier w/limiters.(2)
8021	GEN. 4 BLANKS w/o upper bolt holes/ports .060". Paper w/silicone coating. Trim port to fit.(2)
8021.2	GEN. 4 BLANKS w/o upper bolt holes/ports .120". Paper w/silicone coating. Trim port to fit.(2)
8190	BRODIX BIG DUKE/SWEET 16°/18° Port 1.85"x2.65" .060". Paper w/silicone coating.(2)
8190.2	BRODIX BIG DUKE/SWEET 16°/18° Port 1.85"x2.65" .120". Paper w/silicone coating.(2)
8209	DART 370 Oval Port 1.79"x2.63" .060. Paper w/silicone coating.(2)
8192.5	DART BIG CHIEF 11° Oval Port 1.86"x2.76" .030". Paper w/silicone coating.(2)
8192.3	DART BIG CHIEF 11° Oval Port 1.86"x2.76" .050". Steelcore laminate w/silicone coating.(2)
8192	DART BIG CHIEF 11° Oval Port 1.86"x2.76" .060". Paper w/silicone coating.(2)
8192.4	DART BIG CHIEF 11° Oval Port 1.86"x2.76" .100". Steelcore laminate w/silicone coating.(2)
8192.2	DART BIG CHIEF 11° Oval Port 1.86"x2.76" .120". Paper w/silicone coating.(2)
8071	DART BIG CHIEF 14° Oval Port 1.89"x2.52" .060". Paper w/silicone coating.(2)
8071.2	DART BIG CHIEF 14° Oval Port 1.89"x2.52" .120". Paper w/silicone coating.(2)
8035.3	DART BIG CHIEF 14/18° Rect. Port 1.85"x2.46" .050". Steelcore laminate w/silicone coating.(2)
8035	DART BIG CHIEF 14/18° Rect. Port 1.85"x2.46" .060". Paper w/silicone coating.(2)
8035.4	DART BIG CHIEF 14/18° Rect. Port 1.85"x2.46" .100". Steelcore laminate w/silicone coating.(2)
8035.2	DART BIG CHIEF 14/18° Rect. Port 1.85"x2.46" .120". Paper w/silicone coating.(2)
8211	DART BIG CHIEF 14/18° Rect. Port 1.90"x2.75" .060". Paper w/silicone coating.(2)



Toll Free Tech Line 877-837-9200

DID YOU KNOW? FLATOUT'S "ALL-SEASON" GASKETS ARE RE-USEABLE



8033.2	RFE PROFILER 12° Oval Port 1.89"x2.50" .120". Paper w/silicone coating.(2)
8049.3	RFE PROFILER 24° Oval Port 1.78"x2.50" .030". Paper w/silicone coating.(2)
8049	RFE PROFILER 24° Oval Port 1.78"x2.50" .060". Paper w/silicone coating.(2)
8049.2	RFE PROFILER 24° Oval Port 1.78"x2.50" .120". Paper w/silicone coating.(2)
8096.3	R-M RAPTOR Port 1.89"x2.50" .030". Paper w/silicone coating.(2)
8096	R-M RAPTOR Port 1.89"x2.50" .060". Paper w/silicone coating.(2)
8096.2	R-M RAPTOR Port 1.89"x2.50" .120". Paper w/silicone coating.(2)
8159	7.4L V-8 '96-'00 TRUCK. Molded silicone rubber/composite carrier w/limiters.(2 w/end seals)
8179	8.1L V-8 '01-'03 TRUCK. Molded silicone rubber/composite carrier w/limiters.(2 w/end seals)

CHEVY 396-502CI BB V-8 GRAPHITE, RCC COPPER & MLS HEADER GASKETS

7004	GEN. 4 Square Port 1.89"x1.95".GRAPHITE.(2)
7004C	GEN. 4 Square Port 1.89"x1.95".RCC COPPER.(2)
7005	GEN. 4 Round Port 2.12" Dia.GRAPHITE.(2)
7005C	GEN. 4 Round Port 2.12" Dia.RCC COPPER.(2)
7005M	GEN. 4 Round Port 2.12" Dia.STAINLESS MLS.(2)
7091C	GEN. 4 Medium Round Port 2.38" Dia.RCC COPPER.(2)
7091S	GEN. 4 Medium Round Port 2.38" Dia.STEELCLAD/GRAPHITE.(2)
7013	GEN. 4 Ex. Large Round Port 2.40" Dia.GRAPHITE.(2)
7013C	GEN. 4 Ex. Large Round Port 2.40" Dia.RCC COPPER.(2)
7013S	GEN. 4 Ex. Large Round Port 2.40" Dia.STEELCLAD/GRAPHITE.(2)
7013M	GEN. 4 Ex. Large Round Port 2.40" Dia.STAINLESS MLS.(2)
7061C	GEN. 4 Ex. Large Round Port 2.40" Dia. Indv. Tube.RCC COPPER.(8)
7094C	GEN. 4 Mega Round Port 2.52" Dia.RCC COPPER.(2)
7094S	GEN. 4 Mega Round Port 2.52" Dia.STEELCLAD/GRAPHITE.(2)
7031	GEN. 4 D-Port 1.56"x1.86".GRAPHITE.(2)
7031C	GEN. 4 D-Port 1.56"x1.86".RCC COPPER.(2)
7031S	GEN. 4 D-Port 1.56"x1.86".STEELCLAD/GRAPHITE.(2)
7175C	DART BIG CHIEF 14° Port 1.80"x2.13".RCC COPPER.(2)
7175S	DART BIG CHIEF 14° Port 1.80"x2.13".STEELCLAD/GRAPHITE.(2)
7103C	AFR 357 D-Port 1.80"x2.05".RCC COPPER.(2)
7103S	AFR 357 D-Port 1.80"x2.05".STEELCLAD/GRAPHITE.(2)
7122C	R-M RAPTOR D-Port 1.80"x2.05".RCC COPPER.(2)
7122S	R-M RAPTOR D-Port 1.80"x2.05".STEELCLAD/GRAPHITE.(2)
7083C	RFE PROFILER 12/24° Rect. Port 2.13"x2.19".RCC COPPER.(2)
7083S	RFE PROFILER 12/24° Rect. Port 2.13"x2.19".STEELCLAD/GRAPHITE.(2)
7158C	STK. 409 '58-'65 Port 1.56"x2.06".RCC COPPER.(2)
7158S	STK. 409 '58-'65 Port 1.56"x2.06".STEELCLAD/GRAPHITE.(2)

CHEVROLET 396-502CI BIG BLOCK VALVE COVER GASKETS

6004	GEN. 4/5 .060". Paper w/silicone coating.(2)
6004.2	GEN. 4/5 .120". Paper w/silicone coating.(2)
6005	DART BIG CHIEF 14/18° .060". Paper w/silicone coating.(2)
6005.2	DART BIG CHIEF 14/18° .120". Paper w/silicone coating.(2)
6079	DART BIG CHIEF 14/18° WIDE .060". Paper w/silicone coating.(2)
6079.2	DART BIG CHIEF 14/18° WIDE .120". Paper w/silicone coating.(2)
6076	R-M/MOROSO 5.200" B.C.'s .060". Paper w/silicone coating.(2)
6076.2	R-M/MOROSO 5.200" B.C.'s .120". Paper w/silicone coating.(2)
6076.3	R-M/MOROSO 5.200" B.C.'s .100". Steelcore laminate w/silicone coating.(2)
6015	RFE PROFILER 12/24° .060". Paper w/silicone coating.(2)
6015.2	RFE PROFILER 12/24° .120". Paper w/silicone coating.(2)
6043	8.1L '01-'03. Molded silicone rubber.(1)

CHEVROLET 396-502CI BIG BLOCK V-8 OIL PAN GASKETS

5008	GEN 4 '65-'84 .060". Paper w/silicone coating & rubber end seals.(4)
5009	GEN 4 '65-'84 w/Scallops for stroker .060". Paper w/silicone coating & rubber end seals.(4)
5028	GEN 4 '65-'84 ALL SEASON/ONE-PIECE. Molded silicone rubber/steel carrier w/limiters.(1)

CHEVROLET 396-502CI BIG BLOCK V-8 MISCELLANEOUS GASKETS

1077	GEN 4 Timing Cover .030". Paper w/silicone coating.(1)
1042	GEN 4 Water Pump .060". Paper w/silicone coating.(2)

CHEVY/GM 4 & 6 CYLINDER RCC COPPER & SABERSEAL MLS HEAD GASKETS

9281	1.6L I-4 '76-'87 RCC COPPER.(1)
9063	2.0L I-4 '87-'90 SOHC RCC COPPER.(1)
9434	2.2/2.4L ECOTEC I-4 DOHC L61/L42 MLS .040" THK.& 87MM(3.425") BORE.(1)
9435	2.2/2.4L ECOTEC I-4 DOHC L61/L42 MLS .040" THK.& 89MM(3.505") BORE.(1)

DID YOU KNOW? FLATOUT OFFERS EX. HEADER GASKETS IN 3 MATERIAL CHOICES





CHEVY/GM 4 & 6 CYL. RCC COPPER & SABERSEAL MLS HEAD GASKETS cont.

9099	3.4L V-6 '91-'97 DOHC RCC COPPER.(2)
9105	3.4L V-6 '93-'95 OHV 12V (S) RCC COPPER.(2)
9287	3.4L V-6 '95-'05 OHV 12V (E) RCC COPPER.(2)
9053	4.3L 90° V-6 '87-'03 OHV RCC COPPER.(2)
9230	4.3L 90° V-6 OHV MLS .040" THICK & 4.060" BORE.(1)
9231	4.3L 90° V-6 OHV MLS .040" THICK & 4.120" BORE.(1)
9232	4.3L 90° V-6 OHV MLS .040" THICK & 4.155" BORE.(1)

CHEVROLET/GM 6 CYLINDER PERFORMANCE INTAKE GASKETS

8176	4.3L 90° V-6 TRUCK. Molded silicone rubber/composite carrier.(2 w/end seals)
8122	4.3L 90° V-6 Upper. Molded silicone rubber/composite carrier.(1)
8043S	PONT 230/250 I-6 OHC Int. Port 1.38"x1.73" Exhaust Port 1.21"x1.85".065".STEELCLAD/GRAPHITE.(1)

CHEVROLET/GM 4 & 6 CYL. GRAPHITE, RCC COPPER & HEADER GASKETS

7060C	2.2L/2.4L ECOTEC I-4 DOHC RPO/SPO Round Port 1.41" Dia.RCC COPPER.(1)
7059C	SATURN 1.9L I-4 SOHC Port 1.28"x1.45".RCC COPPER.(1)
7062C	STK. 4.3L 90° V-6 '87-'89 Port 1.50"x1.51".RCC COPPER.(2)
7062S	STK. 4.3L 90° V-6 '87-'89 Port 1.50"x1.51".STEELCLAD/GRAPHITE.(2)
7159C	BRODIX 4.3L 90° V-6 Port 1.63"x1.69".RCC COPPER.(2)
7159S	BRODIX 4.3L 90° V-6 Port 1.63"x1.69".STEELCLAD/GRAPHITE.(2)

CHEVROLET/GM 6 CYLINDER VALVE COVER GASKETS

6070	3.1/3.4L V-6 '96-'03.Molded silicone rubber.(1)
6040	4.2L I-6 '02-'04 DOHC.Molded silicone rubber.(1)

CHRYSL. 273-360CI/6.1L SB V-8 RCC COPPER & SABERSEAL MLS HEAD GSKTS.

9362	MLS .040" THICK & 4.040" BORE.(1)
9193	MLS .040" THICK & 4.080" BORE.(1)
9194	MLS .040" THICK & 4.125" BORE.(1)
9195	MLS .040" THICK & 4.180" BORE.(1)
9036	W2/W5 (10 bolt) RCC COPPER.(2)
9651	W2/W5 (10 bolt) RCC COPPER w/o coolant holes.(2)
9710	W2/R-3 (18 bolt) MLS .040" THICK & 4.100" BORE.(1)
9363	W2/R-3 (18 bolt) MLS .040" THICK & 4.200" BORE.(1)
9066	W7/W8 (18 bolt) A & R3 BLOCKS RCC COPPER .(2)
9203	W7/8/9 MLS .040" THICK & 4.060" BORE.(1)
9204	W7/8/9 MLS .040" THICK & 4.100" BORE.(1)
9205	W7/8/9 MLS .040" THICK & 4.165" BORE.(1)
9364	W7/8/9 MLS .040" THICK & 4.185" BORE.(1)
9383	6.1L SRT HEMI MLS .040" THICK & 4.100" BORE.(1)
9384	6.1L SRT HEMI MLS .040" THICK & 4.250" BORE.(1)
9303	P5 HEMI RCC COPPER.(2)
9385	P5 HEAD/R4 BLOCK MLS .040" THICK & 4.200" BORE.(1)
9386	P5 HEAD/R4 BLOCK MLS .040" THICK & 4.250" BORE.(1)

CHRYSLER 273-360CI SMALL BLOCK V-8 PERFORMANCE INTAKE GASKETS

8069	STK. Port 1.17"x2.28" .060". Paper w/silicone coating.(2 w/end seals)
8069.2	STK. Port 1.17"x2.28" .120". Paper w/silicone coating.(2 w/end seals)
8069.1	STK. Port 1.17"x2.28" ALUM. Spacer Kit .125" THICK..060". Paper w/silicone coating.(2 spcrs./4 gskts.)
8057	STK. Port 1.18"x2.29" .060". Paper w/silicone coating.(2 w/end seals)
8057.2	STK. Port 1.18"x2.29" .120". Paper w/silicone coating.(2 w/end seals)
8069.3	BLANKS w/no ports .060". Trim to fit.(2 w/end seals)

CHRYSL. 273-360CI & 5.7/6.1L SB V-8 GRAPHITE & RCC COPPER HEADER GSKTS.

7026	STK. Port 1.27"x1.80".GRAPHITE.(2)
7026C	STK. Port 1.27"x1.80".RCC COPPER.(2)
7026S	STK. Port 1.27"x1.80".STEELCLAD/GRAPHITE.(2)
7071C	5.7L TRUCK HEMI Port 1.30"x1.41".RCC COPPER.(2)
7071S	5.7L TRUCK HEMI Port 1.30"x1.41".STEELCLAD/GRAPHITE.(2)
7137	6.1L SRT HEMI D-Port 1.46"x2.04".GRAPHITE.(2)
7137C	6.1L SRT HEMI D-Port 1.46"x2.04".RCC COPPER.(2)

CHRYSLER 273-360CI & 4.7L SMALL BLOCK V-8 VALVE COVER GASKETS

6003	STK. W7/W8 .060". Paper w/silicone coating.(2)
6003.2	STK. W7/W8 .120". Paper w/silicone coating.(2)
6049	4.7L '00-'02 L/S.Molded silicone rubber.(1)
6050	4.7L '00-'02 R/S.Molded silicone rubber.(1)



Toll Free Tech Line 877-837-9200

DID YOU KNOW? CUSTOM GASKETS ARE AVAILABLE FROM FLATOUT!



CHRYSL. 361-440CI BB V-8 WEDGE RCC COPPER & SABERSEAL MLS HD. GSKTS.

9004	STK. RCC COPPER.(2)
9359	MLS .040" THICK & 4.250" BORE.(1)
9196	MLS .040" THICK & 4.350" BORE.(1)
9197	MLS .040" THICK & 4.380" BORE.(1)
9198	MLS .040" THICK & 4.410" BORE.(1)
9360	MLS .040" THICK & SIAMESE 4.500" BORE.(1)
9361	MLS. 040" THICK & SIAMESE 4.600" BORE.(1)
9577	INDY TS 600-13 RCC COPPER w/4.840" B.C.'s.(2)
9301	INDY B1-TS 426CI RCC COPPER.(2)
9669	INDY B1-TS 426CI RCC COPPER w/o coolant holes.(2)

CHRYSL. 361-440CI BIG BLOCK WEDGE V-8 PERFORMANCE INTAKE GASKETS

8080	STK. Port 1.18"x2.28" .060". Paper w/silicone coating.(2)
8080.2	STK. Port 1.18"x2.28" .120". Paper w/silicone coating.(2)
8185	B1 ORIGINAL Port 1.75"x2.82" .060". Paper w/silicone coating.(2)
8185.2	B1 ORIGINAL Port 1.75"x2.82" .120". Paper w/silicone coating.(2)
8184	B1-TS Port 1.94"x2.57" .060". Paper w/silicone coating.(2)
8184.2	B1-TS Port 1.94"x2.57" .120". Paper w/silicone coating.(2)
8163.3	INDY CYL. Port 1.58"x2.82" .050". Steelcore laminate w/silicone coating.(2)
8163	INDY CYL. Port 1.58"x2.82" .060". Paper w/silicone coating.(2)
8163.4	INDY CYL. Port 1.58"x2.82" .100". Steelcore laminate w/silicone coating.(2)
8163.2	INDY CYL. Port 1.58"x2.82" .120". Paper w/silicone coating.(2)
8077	NRC PREDATOR Oval Port 2.31" x2.77" .060". Paper w/silicone coating.(2)
8077.2	NRC PREDATOR Oval Port 2.31" x2.77" .120". Paper w/silicone coating.(2)

CHRYSL. 361-440CI BB WEDGE V-8 GRAPHITE&RCC COPPER HEADER GASKETS

7037	STK. Port 1.45"x1.96".GRAPHITE.(2)
7037C	STK. Port 1.45"x1.96".RCC COPPER.(2)
7037S	STK. Port 1.45"x1.96".STEELCLAD/GRAPHITE.(2)
7149C	B1 ORIGINAL Round Port 2.42" Dia.RCC COPPER.(2)
7149S	B1 ORIGINAL Round Port 2.42" Dia.STEELCLAD/GRAPHITE.(2)
7147C	B1-TS Round Port 2.50" Dia.RCC COPPER.(2)
7147S	B1-TS Round Port 2.50" Dia.STEELCLAD/GRAPHITE.(2)
7033	INDY CYL. Port 1.75"x2.20".GRAPHITE.(2)
7033C	INDY CYL. Port 1.75"x2.20".RCC COPPER.(2)
7033S	INDY CYL. Port 1.75"x2.20".STEELCLAD/GRAPHITE.(2)
7108C	NRC PREDATOR D-Port 1.87x1.92".RCC COPPER.(2)
7108S	NRC PREDATOR D-Port 1.87x1.92".STEELCLAD/GRAPHITE.(2)

CHRYSLER 361-440CI BIG BLOCK WEDGE V-8 VALVE COVER GASKETS

6013	STK. .060". Paper w/silicone coating.(2)
6013.2	STK. .120". Paper w/silicone coating.(2)
6028	NRC PREDATOR .060". Paper w/silicone coating.(2)
6028.2	NRC PREDATOR .120". Paper w/silicone coating.(2)

CHRYSL. 331-500CI HEMI V-8 RCC COPPER & SABERSEAL MLS HEAD GASKETS

9065	331-392CI '56-'58 & DONOVAN 417 RCC COPPER.(2)
9675	331-392CI '56-'58 & DONOVAN 417 RCC COPPER w/o coolant holes for 9/16 studs.(2)
9701	331-392CI '56-'58 & DONOVAN 417 RCC COPPER w/o coolant & round pushrod holes for 9/16 studs.(2)
9165	STK. & KB 426CI RCC COPPER w/std. coolant holes.(2)
9665	STK. & KB 426CI RCC COPPER w/std. coolant & w/o steam holes.(2)
9643	STK. 426CI RCC COPPER w/o lower steam holes.(2)
9644	STK. 426CI RCC COPPER w/o coolant holes.(2)
9645	STK. 426CI RCC COPPER w/o coolant holes for 9/16" studs.(2)
9621	STK. 426CI to '99 MLS .040" THICK & 4.310" BORE.(1)
9191	STK. 426CI to '99 MLS .040" THICK & 4.340" BORE.(1)
9192	STK. 426CI to '99 MLS .040" THICK & 4.370" BORE.(1)
9624	STK. 426CI to '99 MLS .040" THICK & 4.375" BORE.(1)
9229	STK. 426CI to '99 MLS .040" THICK & 4.560" BORE.(1)
9010	VENEY/KB 426CI FIRM RCC COPPER w/4.800" B.C.'s.(2)
9059	AJPE-TFX/KB 426CI FIRM RCC COPPER.(2)
9288	AJPE-TFX '96 426CI T/F FIRM PLAIN COPPER w/oil control embossments.(2)
9008	BAE-3-6 426CI FATHEAD/ALKY FIRM RCC COPPER.(2)
9136	BAE-3-6 426CI FATHEAD/ALKY FIRM RCC COPPER w/relieved valley & oil control embossments.(2)
9046	BAE-98 426CI T/F FIRM PLAIN COPPER w/relieved valley & oil control embossments.(2)

**DID YOU KNOW? FLATOUT'S STAFF HAS
OVER 50 YEARS EXPERIENCE IN GASKETS**





CHRYSLER 426CI HEMI V-8 PERFORMANCE INTAKE GASKETS	
8046.3	STK. Port 1.85"x2.00" .030". Paper w/silicone coating.(2)
8046	STK. Port 1.85"x2.00" .060". Paper w/silicone coating.(2)
8046.2	STK. Port 1.85"x2.00" .120". Paper w/silicone coating.(2)
8046C	STK. Port 1.85"x2.00".RCC COPPER.(2)
8099	STREET Port 1.94"x2.10" .060". Paper w/silicone coating.(2)
8099.2	STREET Port 1.94"x2.10" .120". Paper w/silicone coating.(2)
8099.1	STREET Port 1.94"x2.10" ALUM. Spacer Kit .125" .060". Paper w/silicone coating.(w/4 gaskets)
8203	STREET Large Port 1.85"x2.23" .060". Paper w/silicone coating.(2)
8203.2	STREET Large Port 1.85"x2.23" .120". Paper w/silicone coating.(2)
8053	BAE-3-5 FATHEAD/ALKY Port 2.30"x2.35" .060" Paper w/silicone coating.(2)
CHRYSLER 331-426CI HEMI V-8 GRAPHITE & RCC COPPER HEADER GASKETS	
7105C	331/354/392CI '57-'58 Port 1.94"x2.55".RCC COPPER.(2)
7133C	STK. STREET Port 1.75"x1.85".RCC COPPER.(2)
7133S	STK. STREET Port 1.75"x1.85".STEELCLAD/GRAPHITE.(2)
7135C	SUPER STOCK Raised Port 1.50"x2.05".RCC COPPER.(2)
7135S	SUPER STOCK Raised Port 1.50"x2.05".STEELCLAD/GRAPHITE.(2)
7043C	BAE-3-5 FATHEAD/ALKY Offset Port 1.93"x2.33".RCC COPPER.(2)
7043S	BAE-3-5 FATHEAD/ALKY Offset Port 1.93"x2.33".STEELCLAD/GRAPHITE.(2)
7017C	BAE-4 ALKY Centered Port 1.93"x2.32".RCC COPPER.(2)
7104C	BAE-6 FATHEAD/ALKY D-Port 2.04"x2.40".RCC COPPER.(2)
7104S	BAE-6 FATHEAD/ALKY D-Port 2.04"x2.40".STEELCLAD/GRAPHITE.(2)
7084C	BAE-98/DART Port 2.14"x2.75" w/angled lower bolt holes.RCC COPPER.(2)
7084S	BAE-98/DART Port 2.14"x2.75" w/angled lower bolt holes.STEELCLAD/GRAPHITE.(2)
7050C	BAE-98/DART T/F Port 2.11"x2.33" w/angled lower bolt holes.RCC COPPER.(2)
7098C	BAE-98 T/F Offset Port 2.20"x2.75".RCC COPPER.(2)
7072C	DART T/F BILLET Port 1.50"x2.20".RCC COPPER.(2)
7096C	AJPE-TFX '96 Port 2.00"x2.41" w/angled lower bolt holes.RCC COPPER.(2)
7096S	AJPE-TFX '96 Port 2.00"x2.41" w/angled lower bolt holes.STEELCLAD/GRAPHITE.(2)
7176C	INDY CYL. Port 1.85"x1.97".RCC COPPER.(2)
7176S	INDY CYL. Port 1.85"x1.97".STEELCLAD/GRAPHITE.(2)
7146C	INDY CYL. LEGENDS Port 1.95"x2.14".RCC COPPER.(2)
7146S	INDY CYL. LEGENDS Port 1.95"x2.14".STEELCLAD/GRAPHITE.(2)
7025C	VENEY Oval Port 2.34"x2.70".RCC COPPER.(2)
7025S	VENEY Oval Port 2.34"x2.70".STEELCLAD/GRAPHITE.(2)
CHRYSLER 426CI HEMI V-8 VALVE COVER GASKETS	
6006	BAE 3-6 FATHEAD .100". Steelcore laminate w/silicone coating.(2)
6006.2	BAE 3-6 FATHEAD .120". Paper w/silicone coating.(2)
6014	STK. & TFX '96/VENEY/BAE-98 426CI .100". Steelcore laminate w/silicone coating.(2)
CHRYSLER 361-440 BIG BLOCK WEDGE & HEMI V-8 OIL PAN GASKETS	
5010	STK. & KB/BAE HEMI & WEDGE .050". Steelcore laminate w/silicone coating.(1)
5010.3	STK. & KB/BAE HEMI & WEDGE .100". Steelcore laminate w/silicone coating.(1)
5010.2	STK. & KB/BAE HEMI & WEDGE .120". Paper w/silicone coating.(1)
5020	STK. & KB/BAE HEMI & WEDGE "ALL SEASON" .100". Molded silicone rubber/steel carrier w/limiters.(1)
5013	AJPE-TFX '92 .120". Paper w/silicone coating.(1)
5017.2	AJPE-TFX '96 .100". Steelcore laminate w/silicone coating.(1)
5017	AJPE-TFX '96 .120". Paper w/silicone coating.(1)
5033	CN "WIDE Y" HEMI .060". Paper w/silicone coating.(1)
5033.2	CN "WIDE Y" HEMI .120". Paper w/silicone coating.(1)
CHRYSLER 361-426CI BB WEDGE & HEMI V-8 MISCELLANEOUS GASKETS	
1062	STK. & KB 426CI HEMI & BB 361-440CI Wedge Timing Cover .030". Paper w/silicone coating.(1)
CHRYSL./DODGE 8.3L V-10 RCC COPPER & SABERSEAL MLS HEAD GASKETS	
9029	TRUCK '96-'06 RCC COPPER.(2)
9082	VIPER '96-'06 RCC COPPER.(2)
9387	VIPER '96-'06 MLS .051" THICK & 4.060" BORE.(1)
9388	VIPER '96-'06 MLS .051" THICK & 4.125" BORE.(1)
9389	VIPER '96-'06 MLS .051" THICK & 4.165" BORE.(1)
CHRYSLER/DODGE 8.3L V-10 RCC COPPER & GRAPHITE HEADER GASKETS	
7172	VIPER Port 1.74"x1.82" Individual parts.GRAPHITE.(10)
7172S	VIPER Port 1.74"x1.82" Individual parts.STEELCLAD/GRAPHITE.(10)
CHRYSLER 4 & 6 CYLINDER RCC COPPER & SABERSEAL MLS HEAD GASKETS	



Toll Free Tech Line 877-837-9200

DID YOU KNOW? FLATOUT OFFERS COPPER HEAD GASKETS IN ANY BORESIZES



FORD 289-351CI SB V-8 RCC COPPER & SABERSEAL MLS HEAD GASKETS

9003	STK. 289/302/351CI W RCC COPPER.(2)
9060	SVO 302/351CI W RCC COPPER w/small valley land area.(2)
9656	SVO 302/351CI W RCC COPPER w/small valley area & modified coolant holes-nitrous/boost.(2)
9414	STK. 289/302/351CI W MLS .040" THICK & 4.030" BORE.(1)
9293	STK. 289/302/351CI W MLS .040" THICK & 4.080" BORE.(1)
9415	STK. 289/302/351CI W MLS .040" THICK & 4.100" BORE.(1)
9416	STK. 289/302/351CI W MLS .040" THICK & 4.155" BORE.(1)
9417	STK. 289/302/351CI W MLS .040" THICK & 4.200" BORE.(1)
9418	302/351CI W MLS .040" THICK & 4.030" ROUND BORE.(1)
9419	302/351CI W MLS .040" THICK & 4.080" ROUND BORE.(1)
9420	302/351CI W MLS .040" THICK & 4.100" ROUND BORE.(1)
9421	302/351CI W MLS .040" THICK & 4.155" ROUND BORE.(1)
9422	302/351CI W MLS .040" THICK & 4.200" ROUND BORE.(1)
9184	SVO 302/351CI W MLS .040" THICK & 4.100" BORE w/Valve Reliefs L/S.(1)
9185	SVO 302/351CI W MLS .040" THICK & 4.100" BORE w/Valve Reliefs R/S.(1)
9598	SVO 302/351CI W MLS .040" THICK & 4.180" BORE w/Valve Reliefs L/S.(1)
9599	SVO 302/351CI W MLS .040" THICK & 4.180" BORE w/Valve Reliefs R/S.(1)
9174	SVO 302/351CI W MLS .040" THICK & 4.200" BORE w/Valve Reliefs L/S.(1)
9175	SVO 302/351CI W MLS .040" THICK & 4.200" BORE w/Valve Reliefs R/S.(1)
9055	351CI C/CJ/M, BOSS & 400 RCC COPPER.(2)
9423	351CI C MLS .040" THICK & 4.100" BORE.(1)

FORD 260-351CI SMALL BLOCK V-8 PERFORMANCE INTAKE GASKETS

8026	STK. 260-302CI W Small Port 1.30"x2.12" .060". Paper w/silicone coating.(2 w/4 end seals)
8026.2	STK. 260-302CI W Small Port 1.30"x2.12" .120". Paper w/silicone coating.(2 w/4 end seals)
8008	260-302CI W Med. Port 1.31"x2.18" .060" w/heat riser cutout. Paper w/silicone coating.(2 w/4 end seals)
8008.2	260-302CI W Med. Port 1.31"x2.18" .120" w/heat riser cutout. Paper w/silicone coating.(2 w/4 end seals)
8008.3	260-302CI W Medium Port 1.31"x2.18" .100" w/heat riser cutout. Steelcore laminate w/silicone coating.(2)
8008.1	260-302CI W Med. Port 1.31"x2.18" ALUM. Spacer Kit .125" THICK. .060". Paper w/sil. ctg.(w/4 gaskets)
8011	260-302CI W GT40/N Large Port 1.29"x2.12" .060". Paper w/silicone coating.(2 w/4 end seals)
8011.2	260-302CI W GT40/N Large Port 1.29"x2.12" .120". Paper w/silicone coating.(2 w/4 end seals)
8106	302CI W '67 TELEPORT Round Port Dia. 2.25".060". Paper w/silicone coating.(2)
8023	SVO/YATES 351CI C Port 1.35"x1.95" .030". Paper w/silicone coating.(2 w/4 end seals)
8023.3	SVO/YATES 351CI C Port 1.35"x1.95" .050". Steelcore laminate w/silicone coating.(2)
8023.2	SVO/YATES 351CI C Port 1.35"x1.95" .060". Paper w/silicone coating.(2 w/4 end seals)
8093	SVO/YATES 351CI C w/Plates Port 1.68"x2.15" .060". Paper w/silicone coating.(2)
8052	SVO/YATES/BOSS 351CI C/D Port 1.38"x2.22" .060". Paper w/silicone coating.(2 w/4 end seals)
8054	SVO/YATES/BOSS 351CI C/D Port 1.62"x2.42" .060". Oval bolt holes shifted. Paper w/silicone coating.(2)
8054.2	SVO/YATES/BOSS 351CI C/D Port 1.62"x2.42" .120". Oval bolt holes shifted. Paper w/silicone coating.(2)
8086	SVO/YATES NASCAR C3 Port 1.82"x2.18" .060". Paper w/silicone coating.(2 w/4 end seals)
8086.2	SVO/YATES NASCAR C3 Port 1.82"x2.18" .120". Paper w/silicone coating.(2 w/4 end seals)
8091	BRODIX 260-302CI W TURBO Port 1.55"x2.05" .030". Paper w/silicone coating.(2)
8090	BRODIX 260-302CI W Port 1.60"x2.30" .060". Paper w/silicone coating.(2)
8092	BLUE THUNDER 260-302CI W Port 1.70"x2.33" .060". Paper w/silicone coating.(2)

FORD 260-351CI SB V-8 GRAPHITE & RCC COPPER HEADER GASKETS

7006	STK. 260-302CI W Small Port 1.24"x1.53".GRAPHITE.(2)
7006C	STK. 260-302CI W Small Port 1.24"x1.53".RCC COPPER.(2)
7006S	STK. 260-302CI W Small Port 1.24"x1.53".STEELCLAD/GRAPHITE.(2)
7044C	260-302CI W Medium Port 1.38"x2.00".RCC COPPER.(2)
7044S	260-302CI W Medium Port 1.38"x2.00".STEELCLAD/GRAPHITE.(2)
7020	BOSS 351/351CI C/CJ, M & 400 Port 1.57"x1.99".RCC COPPER.(2)
7020C	BOSS 351/351CI C/CJ, M & 400 Port 1.57"x1.99".RCC COPPER.(2)
7168C	BOSS 351/351CI C/CJ, M & 400 Port 1.67"x1.85".RCC COPPER.(2)
7168S	BOSS 351/351CI C/CJ, M & 400 Port 1.67"x1.85".STEELCLAD/GRAPHITE.(2)
7015	BOSS 351/351CI C/CJ, M & 400 Port 1.92"x2.26".GRAPHITE.(2)
7015C	BOSS 351/351CI C/CJ, M & 400 Port 1.92"x2.26".RCC COPPER.(2)
7015S	BOSS 351/351CI C/CJ, M & 400 Port 1.92"x2.26".STEELCLAD/GRAPHITE.(2)
7008	SVO/YATES 302/351CI C & W Port 1.68"x1.81".GRAPHITE.(2)
7008C	SVO/YATES 302/351CI C & W Port 1.68"x1.81".RCC COPPER.(2)
7008S	SVO/YATES 302/351CI C & W Port 1.68"x1.81".STEELCLAD/GRAPHITE.(2)
7066C	SVO/YATES 302/351CI C & W Port 1.90" Dia.RCC COPPER.(2)
7066S	SVO/YATES 302/351CI C & W Port 1.90" Dia.STEELCLAD/GRAPHITE.(2)
7066M	SVO/YATES 302/351CI C & W Port 1.90" Dia.MLS STAINLESS.(2)

**DID YOU KNOW? FLATOUT EQUIPPED
CARS HAVE WON OVER 13 CHAMPIONSHIPS**





FORD 260-351CI SB V-8 GRAPHITE & RCC COPPER HEADER GASKETS cont.	
7089C	EDELBROCK 260-302CI W Large Port 1.76"x1.78".RCC COPPER.(2)
7089S	EDELBROCK 260-302CI W Large Port 1.76"x1.78".STEELCLAD/GRAPHITE.(2)
7111C	CHI 260-302CI W Port 1.76"x1.92".RCC COPPER.(2)
7111S	CHI 260-302CI W Port 1.76"x1.92".STEELCLAD/GRAPHITE.(2)
7138C	AFR 225 260-302CI W Port 1.55"x1.69" 3.0" Bolt Pattern .RCC COPPER.(2)
7138S	AFR 225 260-302CI W Port 1.55"x1.69" 3.0" Bolt Pattern.STEELCLAD/GRAPHITE.(2)
7011	AFR 302CI W J/K & SPLAYED/DUAL BOLT PATTERN Port 1.40"x1.40".GRAPHITE.(2)
7011C	AFR 302CI W J/K & SPLAYED/DUAL BOLT PATTERN Port 1.40"x1.40".RCC COPPER.(2)
7075S	KOOK'S 260-302CI W DUAL BOLT PATTERN Port 1.40"x1.40".STEELCLAD/GRAPHITE.(2)
7099C	KOOK'S/AFR 225 260-302CI W #3035 Round Port 1.75" Dia.RCC COPPER.(2)
7099S	KOOK'S/AFR 225 260-302CI W #3035 Round Port 1.75" Dia.STEELCLAD/GRAPHITE (2)
7087C	KOOK'S/AFR 225 260-302CI W #3035 Round Port 2.00" Dia.RCC COPPER (2)
7087S	KOOK'S/AFR 225 260-302CI W #3035 Round Port 2.00" Dia.STEELCLAD/GRAPHITE.(2)
7074C	KOOK'S 260-302CI W Port 1.40"x1.40" Header-to-Adapter.RCC COPPER.(2)
7074S	KOOK'S 260-302CI W Port 1.40"x1.40".Header-to-Adapter.STEELCLAD/GRAPHITE.(2)
7076C	KOOK'S 260-302CI W Round Port 1.89" Dia.Header-to-Adapter.RCC COPPER.(2)
7076S	KOOK'S 260-302CI W Round Port 1.89" Dia.Header-to-Adapter.STEELCLAD/GRAPHITE.(2)
FORD 260-351CI SMALL BLOCK V-8 VALVE COVER GASKETS	
6008	STK. 260-351CI W .060". Paper w/silicone coating.(2)
6008.2	STK. 260-351CI W .120". Paper w/silicone coating.(2)
6001	SVO/YATES 351CI C .060". Paper w/silicone coating.(2)
6001.2	SVO/YATES 351CI C .120". Paper w/silicone coating.(2)
6022	SVO/KAASE 351CI C CANTED 8-Bolt .060". Paper w/silicone coating.(2)
6022.2	SVO/KAASE 351CI C CANTED 8-Bolt .120". Paper w/silicone coating.(2)
6022.1	SVO/KAASE 351CI C CANTED 8-Bolt ALUMINUM Valve Cover Spacers 1.0" THICK.(2)
FORD 260-351W SMALL BLOCK V-8 OIL PAN GASKETS	
5002	260-351CI W .060". Paper w/silicone coating w/end seals.(4)
FORD 352-500CI BIG BLOCK RCC COPPER & SABERSEAL MLS HEAD GASKETS	
9024	FE 352/428CI RCC COPPER.(2)
9641	FE 352/428CI RCC COPPER for 9/16" studs.(2)
9154	FE 352/428CI EARLY RCC COPPER w/round oil hole.(2)
9398	FE 352-428CI MLS .040" THICK & 4.080" BORE.(1)
9399	FE 352-428CI MLS .040" THICK & 4.165" BORE.(1)
9400	FE 352-428CI MLS .040" THICK & 4.250" BORE.(1)
9401	FE 352-428CI MLS .040" THICK & 4.400" BORE.(1)
9402	FE 427CI MLS .040" THICK & 4.400" BORE.(1)
9014	STK. 429/460CI RCC COPPER (ex. Boss).(2)
9671	STK. 429/460CI RCC COPPER (ex. Boss) w/o coolant holes.(2)
9405	STK. 429/460CI MLS .040" THICK & 4.400" BORE.(1)
9597	STK. 429/460CI MLS .040" THICK & 4.500" BORE.(1)
9406	STK. 429/460CI MLS .040" THICK & 4.670" BORE.(1)
9672	SVO 429/460CI ALUMINUM BLOCK RCC COPPER w/modified coolant & w/o oil drainback holes.(2)
9027	SVO C460CI (18 Bolt) RCC COPPER w/4.900" B.C.'s.(2)
9112	SVO C460CI (18 Bolt) RCC COPPER w/4.900" B.C.'s & valve reliefs.(2)
9646	SVO C460CI (18 Bolt) RCC COPPER w/4.900" B.C.'s & w/o coolant holes.(2)
9134	STK. 429CI SHOTGUN HEMI RCC COPPER.(2)
9097	STK. 429CI SHOTGUN HEMI RCC COPPER w/4.900" B.C.'s. To use w/copper o-rings.(2)
9734	STK. 429CI SHOTGUN HEMI RCC COPPER w/o coolant holes w/4.900" B.C.'s.(2)
9032	429CI SHOTGUN HEMI RCC COPPER w/4.900" B.C.'s.(2)
9031	429CI SHOTGUN HEMI RCC COPPER w/5.000" B.C.'s.(2)
9280	429CI SHOTGUN HEMI RCC COPPER w/5.000" B.C.'s & ex. valve reliefs.(2)
9238	429CI SHOTGUN HEMI RCC COPPER w/5.000" B.C.'s & int. valve reliefs.(2)
9409	460CI SHOTGUN HEMI MLS .040" THICK & 4.700" BORE.(1)
9410	PRO STOCK A460CI MLS .040" THICK & 4.400" BORE.(1)
9227	PRO STOCK A460CI MLS .045" THICK & 4.600" BORE.(1)
9228	PRO STOCK A460CI MLS .045" THICK & 4.685" BORE.(1)
9223	PRO STOCK A460CI MLS .045" THICK & 4.600" BORE L/S A500 Blk.(1)
9224	PRO STOCK A460CI MLS .045" THICK & 4.600" BORE R/S A500 Blk.(1)
9225	PRO STOCK A460CI MLS .045" THICK & 4.685" BORE L/S A500 Blk.(1)
9226	PRO STOCK A460CI MLS .045" THICK & 4.685" BORE R/S A500 Blk.(1)
9407	PRO STOCK D/E460CI MLS .045" THICK & 4.600" BORE.(1)



Toll Free Tech Line 877-837-9200

DID YOU KNOW? FLATOUT OFFERS MANY THICKNESS CHOICES IN MLS & COPPER!



FORD 352-460CI BIG BLOCK V-8 PERFORMANCE INTAKE GASKETS

8027	STK. FE 352-428CI CJ & SCJ Port 1.40"x2.34" .060". Paper w/silicone coating.(2)
8027.2	STK. FE 352-428CI CJ & SCJ Port 1.40"x2.34" .120". Paper w/silicone coating.(2)
8212	FE 352-428CI CJ & SCJ Port 1.66"x2.37" .060". Paper w/silicone coating.(2)
8212.2	FE 352-428CI CJ & SCJ Port 1.66"x2.37" .120". Paper w/silicone coating.(2)
8078	STK. FE 427CI Port 1.36"x2.45" .060". Paper w/silicone coating.(2)
8078.2	STK. FE 427CI Port 1.36"x2.45" .120". Paper w/silicone coating.(2)
8187	STK. FE 427CI MED. RISER Port 1.41"x2.20" .060". Paper w/silicone coating.(2)
8187.2	STK. FE 427CI MED. RISER Port 1.41"x2.20" .120". Paper w/silicone coating.(2)
8108	STK. 429CJ/SCJ, C460CI Port 2.25"x2.61" .060". Paper w/silicone coating.(2)
8108.2	STK. 429CJ/SCJ, C460CI Port 2.25"x2.61" .120". Paper w/silicone coating.(2)
8084	STK. C460CI Port 1.80"x2.64" .060" Paper w/silicone coating.(2)
8084.2	STK. C460CI Port 1.80"x2.64" .120" Paper w/silicone coating.(2)
8047	SVO A460/429CI Port 1.84"x2.70" .060". Paper w/silicone coating.(2)
8047.2	SVO A460/429CI Port 1.84"x2.70" .120". Paper w/silicone coating.(2)
8056	429CI SHOTGUN HEMI B441 Port 2.51"x2.66" .060". Paper w/silicone coating.(2)
8075	429CI SHOTGUN HEMI Port 1.88"x2.28" .060". Paper w/silicone coating.(2)
8075.2	429CI SHOTGUN HEMI Port 1.88"x2.28" .120". Paper w/silicone coating.(2)
8051	429CI SHOTGUN HEMI Port 2.50" Dia. .060". Paper w/silicone coating.(2)
8051.2	429CI SHOTGUN HEMI Port 2.50" Dia. .120". Paper w/silicone coating.(2)
8100	429/460CI EXTREME MACHINE Port 1.85"x2.55" .060". Paper w/silicone coating.(2)
8100.2	429/460CI EXTREME MACHINE Port 1.85"x2.55" .120". Paper w/silicone coating.(2)

FORD 352-460CI BIG BLOCK V-8 GRAPHITE & RCC COPPER HEADER GASKETS

7024	STK. FE 352-428/428CI CJ/SCJ Port 1.40"x2.05".GRAPHITE.(2)
7024C	STK. FE 352-428/428CI CJ/SCJ Port 1.40"x2.05".RCC COPPER.(2)
7024S	STK. FE 352-428/428CI CJ/SCJ Port 1.40"x2.05".STEELCLAD/GRAPHITE.(2)
7024.2	FE 352-428/428CI CJ/SCJ Port 1.40"x2.05". w/o side bolts.GRAPHITE.(2)
7024.2C	FE 352-428/428CI CJ/SCJ Port 1.40"x2.05". w/o side bolts.RCC COPPER.(2)
7024.2S	FE 352-428/428CI CJ/SCJ Port 1.40"x2.05". w/o side bolts.STEELCLAD/GRAPHITE.(2)
7131S	FE 352-428/428CI CJ/SCJ Raised Port 1.65"x2.10". w/o side bolts.STEELCLAD/GRAPHITE.(2)
7178S	FE EDELBROCK 352-428CI, CJ/SCJ Port 1.60"x2.08". w/o side port bolt holes.STEEL/CLAD GRAPHITE.(2)
7034	STK. 460CI TRUCK Rect. Port 1.45"x1.84".GRAPHITE.(2)
7034C	STK. 460CI TRUCK Rect. Port 1.45"x1.84".RCC COPPER.(2)
7034S	STK. 460CI TRUCK Rect. Port 1.45"x1.84".STEELCLAD/GRAPHITE.(2)
7021	STK. 429/460CI Oval Port 1.55"x2.18".GRAPHITE.(2)
7021C	STK. 429/460CI Oval Port 1.55"x2.18".RCC COPPER.(2)
7014	429CI CJ/SCJ Oval Port 1.60"x2.38".GRAPHITE.(2)
7014C	429CI CJ/SCJ Oval Port 1.60"x2.38".RCC COPPER.(2)
7014S	429CI CJ/SCJ Oval Port 1.60"x2.38".STEELCLAD/GRAPHITE.(2)
7035	SVO C460CI Port 2.08"x2.09".GRAPHITE.(2)
7035C	SVO C460CI Port 2.08"x2.09".RCC COPPER.(2)
7035S	SVO C460CI Port 2.08"x2.09".STEELCLAD/GRAPHITE.(2)
7083C	A460CI RFE PROFILER Rect. Port 2.13"x2.19".RCC COPPER.(2)
7083S	A460CI RFE PROFILER Rect. Port 2.13"x2.19".STEELCLAD/GRAPHITE.(2)
7112C	A460CI TFS EARLY Port 2.05"x2.18".RCC COPPER.(2)
7112S	A460CI TFS EARLY Port 2.05"x2.18".STEELCLAD/GRAPHITE.(2)
7064C	STK. 429CI SHOTGUN HEMI Oval Port 2.16"x2.46" w/4.900" B.C.'s.RCC COPPER.(2)
7048C	STK. 429CI SHOTGUN HEMI Rect. Port 2.50"x2.88" w/4.900" B.C.'s.RCC COPPER.(2)
7038	429CI SHOTGUN HEMI w/irregular Port 2.50"x2.88" 5.000" B.C.'s.GRAPHITE.(2)
7038C	429CI SHOTGUN HEMI w/irregular Port 2.50"x2.88" 5.000" B.C.'s.RCC COPPER.(2)
7118C	429CI AR SHOTGUN HEMI Port 2.38"x 2.50".RCC COPPER.(2)

FORD 352-460CI BIG BLOCK V-8 VALVE COVER GASKETS

6012	FE 352-428CI CJ & 428SCJ .060". Paper w/silicone coating.(2)
6012.2	FE 352-428CI CJ & 428SCJ .120". Paper w/silicone coating.(2)
6010	STK. 429/460CI (ex. Boss) .060". Paper w/silicone coating.(2)
6010.2	STK. 429/460CI (ex. Boss) .120". Paper w/silicone coating.(2)
6020	429CI KAASE EARLY SHOTGUN HEMI w/5.000" B.C.'s .060". Paper w/silicone coating.(2)
6020.2	429CI KAASE EARLY SHOTGUN HEMI w/5.000" B.C.'s .120". Paper w/silicone coating.(2)
6024.3	429CI KAASE LATE SHOTGUN HEMI .050". Steelcore laminate w/silicone coating.(2)
6024	429CI KAASE LATE SHOTGUN HEMI .060". Paper w/silicone coating.(2)
6024.2	429CI KAASE LATE SHOTGUN HEMI .120". Paper w/silicone coating.(2)

FORD 460CI BIG BLOCK V-8 OIL PAN GASKETS

DID YOU KNOW....FLATOUT MAKES OTHER FABRICATED METAL PRODUCTS?





FORD 4.6/5.4L MOD. V-8 RCC COPPER & SABERSEAL MLS HEAD GASKETS

9040	4.6/5.4L MOD/TRITON SOHC RCC COPPER. L & R.(2)
9266	4.6/5.4L MOD/TRITON DOHC RCC COPPER. L & R.(2)
9618	4.6L '06 MOD DOHC RCC COPPER. L & R.(2)
9670	4.6L '06 MOD DOHC RCC COPPER w/o coolant holes. L & R.(2)
9199	4.6L MOD SOHC MLS .030" THICK & 94MM (3.700") BORE L/S.(1)
9200	4.6L MOD SOHC MLS .030" THICK & 94MM (3.700") BORE R/S.(1)
9393	4.6L MOD DOHC MLS .040" THICK & 95.25MM (3.750") BORE-Darton Sleeve L.(1)
9395	4.6L MOD DOHC MLS .040" THICK & 95.25MM (3.750") BORE-Darton Sleeve R.(1)
9394	4.6L MOD DOHC MLS .040" THICK & 95.25MM (3.750") BORE-SLD. Darton Sleeve L.(1)
9396	4.6L MOD DOHC MLS .040" THICK & 95.25MM (3.750") BORE-SLD. Darton Sleeve R.(1)

FORD 4.6L MODULAR V-8 PERFORMANCE & COMPETITION INTAKE GASKETS

8181	4.6L '06 MOD DOHC Port 1.56"x2.58" .060". Paper w/silicone coating.(2)
8181.2	4.6L '06 MOD DOHC Port 1.56"x2.58" .120". Paper w/silicone coating.(2)

FORD 4.6L MODULAR V-8 GRAPHITE & RCC COPPER HEADER GASKETS

7140C	4.6L MOD DOHC Port 1.31"x2.08".RCC COPPER.(2)
7140S	4.6L MOD DOHC Port 1.31"x2.08".STEELCLAD/GRAPHITE.(2)

FORD 4 & 6 CYLINDER RCC COPPER HEAD & SABERSEAL MLS GASKETS

9390	1.6/1.8L I-4 CVH MLS .040" THICK & 83MM (3.270") BORE.(1)
9101	1.9L I-4 SOHC RCC COPPER.(1)
9240	2.0L I-4 '71-'74 SOHC RCC COPPER.(1)
9071	2.0L I-4 '98-'03 SOHC ZETEC/ZX2 RCC COPPER.(1)
9391	2.0L I-4 '98-'03 SOHC ZETEC/ZX2 MLS .027" THICK & 87MM (3.830") BORE.(1)
9028	2.3L I-4 '74-'93 SOHC RCC COPPER.(1)
9647	2.3L I-4 '74-'93 SOHC RCC COPPER w/o coolant holes & modified oil holes.(1)
9411	2.3L I-4 DURATECH MLS .018" THICK & 89.5MM (3.525") BORE.(1)
9412	2.3L I-4 DURATECH MLS .018" THICK & 92MM (3.625") BORE.(1)
9218	2.3L I-4 MLS .040" THICK & 100MM (3.940") BORE.(1)
9392	2.3L I-4 MLS .040" THICK & 97MM (3.830") BORE.(1)
9171	3.0L V-6 OHV VULCAN/FWD RCC COPPER w/std. valve reliefs.(2)
9168	3.0L V-6 OHV VULCAN/RWD RCC COPPER w/std. valve reliefs. L & R.(2)
9714	3.0L V-6 OHV VULCAN/RWD RCC COPPER w/small valve reliefs. L & R.(2)
9043	3.8L V-6 '89-'95 OHV SUPERCHARGED RCC COPPER.(2)
9092	4.0L V-6 '90-'94 OHV TRUCK RCC COPPER L & R.(2)
9262	4.0L V-6 OHV RCC COPPER L & R.(2)

FORD 6 CYL. PERFORMANCE INTAKE GASKETS

8085S	300CI I-6 '78 Intake/Ex. Combo-Int. Port 1.46"x1.85". Ex. 1.43"x1.67".STEELCLAD/GRAPHITE.(1)
-------	--

FORD 4 & 6 CYLINDER GRAPHITE & RCC COPPER HEADER GASKETS

7058C	1.6L I-4 Round Port 1.26" Dia.RCC COPPER.(1)
7086C	1.6/1.9L I-4 '81-'98 Port 1.70"x1.74".RCC COPPER.(1)
7086S	1.6/1.9L I-4 '81-'98 Port 1.70"x1.74".STEELCLAD/GRAPHITE.(1)
7088S	200CI I-6 '68 Port 1.27"x1.38".STEELCLAD/GRAPHITE.(1)

FORD FLATHEAD 4, 6 & 8 CYL. RCC COPPER & SABERSEAL MLS HD. GASKETS

9622	FLATHEAD 220CI I-4 '32 "B" RCC COPPER.(1)
9100	FLATHEAD I-6 H Block/G-Head RCC COPPER.(1)
9098	FLATHEAD V-8 '38-'48 RCC COPPER.(2)
9605	FLATHEAD V-8 '48 RCC COPPER.(2)
9404	FLATHEAD V-8 (21 bolt) MLS .040" THICK & 3.156" BORE.(1)

OLDS 2.3L I-4, 330-455CI V-8 RCC COPPER & SABERSEAL MLS HEAD GASKETS

9678	2.3L I-4 DOHC QUAD 4 RCC COPPER.(1)
9015	STK. 330-455CI RCC COPPER.(2)
9051	STK. 350CI DIESEL RCC COPPER.(2)
9639	330-455CI RCC COPPER w/o coolant holes.(2)
9640	330-455CI RCC COPPER for 9/16" studs.(2)
9446	330-455CI MLS .040" THICK & 4.125" BORE.(1)
9275	330-455CI MLS .040" THICK & 4.200" BORE.(1)
9447	330-455CI MLS .040" THICK & 4.270" BORE.(1)
9448	330-455CI MLS .040" THICK & 4.400" BORE.(1)
9159	455CI NASCAR BLOCK RCC COPPER w/o steam holes between cylinders.(2)

OLDSMOBILE 330-455CI V-8 PERFORMANCE INTAKE GASKETS

8042	STK. 330-455CI Port 1.38"x2.38" .060". Paper w/silicone coating.(2)
------	---



Toll Free Tech Line 877-837-9200

DID YOU KNOW? FLATOUT OFFERS SHIMS TO REPAIR LOST DECK HEIGHT



OLDSMOBILE 330-455CI V-8 GRAPHITE & RCC COPPER HEADER GASKETS	
7016	STK. 330-455CI Split/Center Rect. Port 1.54"x1.97".GRAPHITE.(2)
7016C	STK. 330-455CI Split/Center Rect. Port 1.54"x1.97".RCC COPPER.(2)
7016S	STK. 330-455CI Split/Center Rect. Port 1.54"x1.97".STEELCLAD/GRAPHITE.(2)
7032	455CI BATTEN Port 1.50"x1.80".GRAPHITE.(2)
7032C	455CI BATTEN Port 1.50"x1.80".RCC COPPER.(2)
7032S	455CI BATTEN Port 1.50"x1.80".STEELCLAD/GRAPHITE.(2)
7073C	455CI BATTEN Large Port 1.69"x1.91".RCC COPPER.(2)
7073S	455CI BATTEN Large Port 1.69"x1.91".STEELCLAD/GRAPHITE.(2)
OLDSMOBILE 330-455CI V-8 VALVE COVER GASKETS	
6009	STK. 330-455CI .060". Paper w/silicone coating.(2)
6009.2	STK. 330-455CI .120". Paper w/silicone coating.(2)
PONTIAC 326-455CI V-8 RCC COPPER & SABERSEAL MLS HEAD GASKETS	
9012	STK. 326-455CI RCC COPPER.(2)
9638	STK. 326-455CI RCC COPPER w/o coolant holes.(2)
9449	326CI MLS .040" THICK & 3.750" BORE.(1)
9215	350CI MLS .040" THICK & 3.950" BORE.(1)
9096	389-421CI '61-'67 RCC COPPER w/20° valve reliefs.(2)
9216	350-455CI MLS .040" THICK & 4.160" BORE.(1)
9217	350-455CI MLS .040" THICK & 4.300" BORE.(1)
9450	350-455CI MLS .040" THICK & 4.200" BORE.(1)
9451	350-455CI MLS .040" THICK & 4.380" BORE.(1)
9452	350-455CI MLS .040" THICK & 4.410" BORE.(1)
9045	455CI SD '70-Up RCC COPPER w/valve reliefs.(2)
9654	455CI SD '70-Up RCC COPPER w/valve reliefs & w/o coolant holes.(2)
PONTIAC 326-455CI V-8 PERFORMANCE INTAKE GASKETS	
8200	STK. 455CI '72-'79 Port 1.13"x 2.07" w/small crossover port .060" Paper w/silicone coating.(2)
8199	STK. 455CI '72-'74 RAM IV & HO Port 1.13"x2.18" w/small crossover port .060" Paper with sil. coating.(2)
8186	STK. 400/455CI & WENZLER '68-'74 RAM IV HO Port 1.33"x2.50" .060". Paper w/silicone coating.(2)
8186.2	STK. 400/455CI & WENZLER '68-'74 RAM IV HO Port 1.33"x2.50" .120". Paper w/silicone coating.(2)
8195	455CI Port 1.13"x2.17" w/crossover block-off plate. .060". Paper w/silicone coating.(2)
8196	455CI '72-'74 RAM IV & HO Port 1.13"x2.18" w/crossover block-off plate..060". Paper w/silicone coating.(2)
PONTIAC 326-455CI V-8 GRAPHITE & RCC COPPER HEADER GASKETS	
7027	326-455CI Split/Center D-Port 1.52"x1.94".GRAPHITE.(2)
7027C	326-455CI Split/Center D-Port 1.52"x1.94".RCC COPPER.(2)
7027S	326-455CI Split/Center D-Port 1.52"x1.94".STEELCLAD/GRAPHITE.(2)
7148	326-455CI Split/Center Large Oval Port 1.94"x1.97".GRAPHITE.(2)
7148C	326-455CI Split/Center Large Oval Port 1.94"x1.97".RCC COPPER.(2)
7148S	326-455CI Split/Center Large Oval Port 1.94"x1.97".STEELCLAD/GRAPHITE.(2)
7056	400/455CI RAM AIR 4 HO/SD '68-'74 Round Port 1.90" Dia.GRAPHITE.(2)
7056C	400/455CI RAM AIR 4 HO/SD '68-'74 Round Port 1.90" Dia.RCC COPPER.(2)
7056S	400/455CI RAM AIR 4 HO/SD '68-'74 Round Port 1.90" Dia.STEELCLAD/GRAPHITE.(2)
7065C	400CI HEDMAN Round Port 2.03" Dia. Header-to-Adapter.RCC COPPER.(2)
7065S	400CI HEDMAN Round Port 2.03" Dia. Header-to-Adapter.STEELCLAD/GRAPHITE.(2)
PONTIAC 326-455CI V-8 VALVE COVER GASKETS	
6016	326-455CI .060". Paper w/silicone coating.(2)
6016.2	326-455CI .120". Paper w/silicone coating.(2)
PONTIAC 326-455CI V-8 OIL PAN GASKETS	
5029	326-455CI .060". Paper w/silicone coating.(4 w/end seal & end gasket)
GM 500-800CI PRO STOCK/PRO MOD RCC COPPER & MLS HEAD GASKETS	
9016	DRCE 500CI RCC COPPER w/4.900" B.C.'s & BB CHEVY bolt pattern.(2)
9698	DRCE 500CI RCC COPPER w/5.000" B.C.'s.(2)
9683	DRCE CFE 500CI RCC COPPER 14°/A-SYMTRL. w/Eickie bolt pattern. 5.000" B.C.'s.(2)
9025	DRCE-1 CFE 500CI RCC COPPER w/4.840" B.C.'s.(2)
9077	DRCE-2 AJPE 500CI RCC COPPER w/4.900" B.C.'s.(2)
9021	DRCE-2 500CI RCC COPPER w/4.900" B.C.'s.(2)
9035	DRCE-2 500CI RCC COPPER w/4.900" B.C.'s w/modified coolant holes.(2)
9650	DRCE-2 500CI RCC COPPER w/4.900" B.C.'s w/o coolant holes for 1/2 studs.(2)
9188	DRCE-2 500CI MLS .051" THICK & 4.675" BORE w/4.900" B.C.'s.(1)
9425	DRCE-2 500CI MLS .051" THICK & 4.700" BORE w/4.900" B.C.'s.(1)
9426	DRCE-2 500CI MLS .051" THICK & 4.780" BORE w/4.900" B.C.'s.(1)

DID YOU KNOW? FLATOUTS MOLDED RUBBER GASKETS ARE “BEST IN CLASS”!





GM 500-800CI PRO STOCK/MOD RCC COPPER & MLS HEAD GASKETS cont.	
9164	FONTANA 10/7 RCC COPPER (10 bolt) w/4.850" B.C's.(2)
9157	AJPE/TFX 481X RCC COPPER w/4.840" B.C.'s & valley drainbacks.(2)
9648	AJPE/5.0" RCC COPPER w/5.000" B.C.'s for 1/2" studs.(2)
9034	AJPE/5.0" RCC COPPER w/5.000" B.C.'s for 7/16" studs.(2)
9649	AJPE/5.0" RCC COPPER w/5.000" B.C.'s w/o coolant holes for 7/16" studs.(2)
9037	AJPE/PRO STOCK/MOD RCC COPPER w/5.000" B.C.'s.(2)
9715	AJPE PRO MOD RCC COPPER w/5.300" B.C.'s.(2)
GM 500-800CI V-8 PRO STOCK/PRO MOD PERFORMANCE INTAKE GASKETS	
8183	CFE 14° PRO MOD Port 1.91"x2.72" .060" w/5.000" B.C.'s. Paper w/silicone coating.(2)
8183.2	CFE 14° PRO MOD Port 1.91"x2.72" .120" w/5.000" B.C.'s. Paper w/silicone coating.(2)
8189	CFE 18° PRO MOD Port 1.93"x2.73" .060" w/5.000" B.C.'s. Paper w/silicone coating.(2)
8189.2	CFE 18° PRO MOD Port 1.93"x2.73" .120" w/5.000" B.C.'s. Paper w/silicone coating.(2)
8207	SONNY'S 711 PRO STOCK/MOD Port 2.19"x2.39" w/5.000" B.C.'s .060". Paper w/silicone coating.(2)
8207.2	SONNY'S 711 PRO STOCK/MOD Port 2.19"x2.39" w/5.000" B.C.'s .120". Paper w/silicone coating.(2)
GM 500-800CI V-8 PS/PRO MOD GRAPHITE & RCC COPPER HEADER GASKETS	
7042	AJPE/TFX 481X Round Port 2.47" Dia.GRAPHITE.(2)
7042C	AJPE/TFX 481X Round Port 2.47" Dia.RCC COPPER.(2)
7042S	AJPE/TFX 481X Round Port 2.47" Dia.STEELCLAD/GRAPHITE.(2)
7151C	CFE 18° PRO MOD Port 2.13" w/5.000" B.C.'s.RCC COPPER.(2)
7151S	CFE 18° PRO MOD Port 2.13" w/5.000" B.C.'s.STEELCLAD/GRAPHITE.(2)
7039C	CFE/FULTON PRO MOD Port 2.50" w/5.000" B.C.'s.RCC COPPER.(2)
7039S	CFE/FULTON PRO MOD Port 2.50" w/5.000" B.C.'s.STEELCLAD/GRAPHITE.(2)
7169C	R-M 5.200" B.C.'s RCC COPPER.(2)
7169S	R-M 5.200" B.C.'s STEELCLAD/GRAPHITE.(2)
7068C	OLDS/FULTON PRO MOD Oval Port 2.25" w/5.000" B.C.'s. RCC COPPER.(2)
7157C	SONNY'S 800CI HEMI Round Port 2.76".RCC COPPER.(2)
7157S	SONNY'S 800CI HEMI Round Port 2.76".STEELCLAD/GRAPHITE.(2)
GM 500-800CI V-8 PRO STOCK/PRO MOD VALVE COVER GASKETS	
6018	DRCE 500CI 6-bolts .060". Paper w/silicone coating.(2)
6018.2	DRCE 500CI 6-bolts .120". Paper w/silicone coating.(2)
6017	DRCE-1 500CI 7-bolts .060". Paper w/silicone coating.(2)
6017.2	DRCE-1 500CI 7-bolts .120". Paper w/silicone coating.(2)
6025	DRCE-1 500CI RFE PROFILER 8-bolts .060". Paper w/silicone coating.(2)
6025.2	DRCE-1 500CI RFE PROFILER 8-bolts .120". Paper w/silicone coating.(2)
6029	DRCE-1 500CI MOROSO 7-bolts .060". Paper w/silicone coating.(2)
6029.2	DRCE-1 500CI MOROSO 7-bolts .120". Paper w/silicone coating.(2)
6019	DRCE-2 500CI 8-bolts .060". Paper w/silicone coating.(2)
6080	DRCE-3 500CI MOROSO 8-bolts .060". Paper w/silicone coating.(2)
6080.2	DRCE-3 500CI MOROSO 8-bolts .120". Paper w/silicone coating.(2)
6072	ARIAS/DONOVAN 8.3L .060". Paper w/silicone coating.(2)
6072.2	ARIAS/DONOVAN 8.3L .120". Paper w/silicone coating.(2)
6021.3	AJPE/TFX 481X .100. Steelcore laminate w/silicone coating.(2)
6026	SONNY'S 800CI HEMI .060". Paper w/silicone coating.(2)
GM 500-800CI V-8 PRO STOCK/PRO MOD OIL PAN & MISCELLANEOUS GASKETS	
5016	AJPE/TFX 481X Oil Pan .120". Paper w/silicone coating.(1)
5011	ARIAS/KB-OLDS Oil Pan .060". Paper w/silicone coating.(1)
5011.2	ARIAS/KB-OLDS Oil Pan .120". Paper w/silicone coating.(1)
5032	DRCE 5.0" B.C.'s Oil Pan .060". Paper w/silicone coating.(1)
1035	ARIAS/DONOVAN 8.3L Timing Cover .030". Paper w/silicone coating.(1)
IMPORT I-4 & 6 CYL. RCC COPPER & SABERSEAL MLS HEAD GASKETS	
9327	BMW 2.4L I-6 '85-'86 M21D RCC COPPER.(1)
9694	BMW 2.5/2.8/3.0/3.2L I-6 RCC COPPER.(1)
9606	BMW 3.4L I-6 '85-'89 M6 S38 RCC COPPER.(1)
9687	BMW 3.5L I-6 M1 RCC COPPER.(1)
9141	HONDA 1.2L I-4 '78-'79 EB-3 RCC COPPER.(1)
9061	HONDA 1.6/1.8L I-4 VETC B16A, B18LA, B18C RCC COPPER.(1)
9120	HONDA 1.6L I-4 (D) RCC COPPER.(1)
9660	HONDA 1.6L I-4 (D) RCC COPPER w/o coolant holes.(1)
9081	HONDA 1.8/2.0L I-4 B18A/B, B20B & Z RCC COPPER.(1)
9595	HONDA 2.0L I-4 RCC COPPER.(1)
9276	HONDA 2.2L I-4 '92-'96 H23 RCC COPPER.(1)



Toll Free Tech Line 877-837-9200

DID YOU KNOW? FLATOUT HAS PREMIUM DIESEL PERFORMANCE GASKETS



IMPORT I-4 & 6 CYL. RCC COPPER & SABERSEAL MLS HEAD GASKETS cont.	
9143	NISSAN 2.0L I-4 SR20DET RCC COPPER.(1)
9070	NISSAN 3.0L V-6 DOHC VE/VG30 RCC COPPER.(2)
9095	NISSAN 3.0L V-6 VQ RCC COPPER.(2)
9721	TOYOTA 1.6/1.8L I-4 2T/2TC,3TC,3T-EU MLS .040" THICK & 3.505" BORE(89mm).(1)
9600	TOYOTA 1.8L I-4 3TC RCC COPPER.(1)
9047	TOYOTA 2.0L I-4 '86-'89 DOHC (3SFE/3SGELC) RCC COPPER for 10mm studs.(1)
9067	TOYOTA 3.0L I-6 2JZ-3E (Non-Turbo) RCC COPPER for 1/2" studs.(1)
9064	TOYOTA 3.0L I-6 '86.5-'92.5 7MGE/7MGTE RCC COPPER.(1)
9125	VW 1.8L I-4 SOHC ABG, GX, HT, JH, JN, PF, PL, RD, RV & 2H RCC COPPER.(1)
9083	VW 2.8L V-6 '92-'97 VR6 RCC COPPER.(1)
IMPORT 4 CYL. INTAKE, HEADER & MISCELLANEOUS GASKETS	
8194	VW 1.5L FLAT 4 Intake Port 1.36"x1.88" .060". Paper w/silicone coating.(2)
7160S	VW 1.5L FLAT 4 Header Port 1.64". .065" STEELCLAD/GRAPHITE.(2)
7052C	MITSUBISHI 2.6L I-4 '83-'89 SOHC G54B-T Header Round Port 1.71" Dia. .060" RCC COPPER.(1)
7166C	TOYOTA 2.2L 22R I-4 Header Port 1.44" Dia.RCC COPPER.(1)
CARBURETOR GASKETS	
1001	UNIVERSAL 4 BRL./OPEN PLENUM CARB BASE Port Dia. 3.78"x3.88" .060". Paper w/silicone coating.(1)
1169	UNIVERSAL 4 BARREL/4 HOLE CARB BASE Port Dia. 1.75" .030". Paper w/silicone coating.(1)
1169.2	UNIVERSAL 4 BARREL/4 HOLE CARB BASE Port Dia. 1.75" .060". Paper w/silicone coating.(1)
1002	UNIVERSAL 4 BARREL/4 HOLE CARB BASE Port Dia. 1.73" .060". Paper w/silicone coating.(1)
1004	HOLLEY 390 4 BARREL/4 HOLE CARB BASE Port Dia. 1.48" .060". Paper w/silicone coating.(1)
1003	HOLLEY DOM. 4 BRL./OPEN PLENUM CARB BASE Port 4.80"x4.80" .060". Paper w/silicone coating.(1)
1003.2	HOLLEY DOM. 4 BRL./OPEN PLENUM CARB BASE Port 4.80"x4.80" .030". Paper w/silicone coating.(1)
1005	HOLLEY DOMINATOR 4 BARREL/4 HOLE CARB BASE Port Dia. 2.03" .060". Paper w/silicone coating.(1)
1047	HOLLEY DOMINATOR SPLIT SHEARPLATE Small/Top Port 2.20"x5.00" .045". Paper w/sil. coating.(1)
1046	HOLLEY DOMINATOR SPLIT SHEARPLATE Large/Bottom Port 3.00"x5.88" .045". Paper w/sil. coating.(1)
1175	HOLLEY DOMINATOR EX. Large Ports 2.25" .030". Paper w/silicone coating.(1)
1181	HOLLEY DOMINATOR AIR HORN 7.24"ID x 7.74"OD .060". Paper w/silicone coating.(1)
1089	HOLL. 750/850 4 BRL. ALL SEASON CARB BASE Port 3.78"x3.88" .080". Mld. Rub./stl.core w/limiters.(1)
S1066	HOLLEY 750/850 4 BRL. ALL SEASON CARB Bowl/Metering. Mld. rubber kit w/steel carrier. GAS ONLY.(4
1044	ROCH./CARTR. 4 BRL./OPN. PLEN. CARB BASE Quadjet&Thermo Quad Port .030. Paper w/sil. ctg.(1)
SUPERCHARGER MISC. GASKETS	
1055	UNIVERSAL LARGE SFI BURST PANEL Kit .050". Steelcore laminate w/silicone coating.(2)
1061	UNIVERSAL SMALL SFI BURST PANEL Kit .050". Steelcore laminate w/silicone coating.(2)
1037	UNIVERSAL SUPERCHARGER SNOOT Round/6-hole .030". Paper w/silicone coating.(1)
1037.2	UNIVERSAL SUPERCHARGER SNOOT Round/6-hole .060". Paper w/silicone coating.(1)
1036	LITTLEFIELD 14-71 SUPERCHARGER FRONT CASE .060". Paper w/silicone coating.(1)
1079	LITTLEFIELD 14-71 SUPERCHARGER OVAL FRONT CASE .060". Paper w/silicone coating.(1)
SUPERCHARGER BASE GASKETS	
1078	UNIVERSAL 14-71 SUPERCHARGER BASE Port 4.02"x12.34" .060". Paper w/silicone coating.(1)
1008	UNIVERSAL 14-71 SUPERCHARGER BASE Port 4.26"x15.85" .060". Paper w/silicone coating.(1)
1152	SSI/LITTLEFIELD 14-71 SUPERCHARGER BLANK BASE No Port .060". Paper w/silicone coating.(1)
1014	SSI/LITTLEFIELD/KOBELCO 14-71 SUPERCHGR. BASE Port 4.23"x14.95" .060". Paper w/sil. coating.(1)
1168	SSI 14-71 T/F MODEL F SUPERCHARGER BASE Port 4.08"x15.95" .060". Paper w/silicone coating.(1)
1165	KOB. 14-71 SUPRCHRGR. SUPERMAN INSLTR. BASE Tri. Port 4.20"x7.56".100". Stl.cre. lam./sil. ctg.(1)
1040.2	KOB./LTL.FIELD 14-71 SUPERCHRGR. BASE Sml./Offset Port 4.23"x14.95" .050". Stl.cre. lam./sil. ctg.(1)
1040	KOB./LITTLEFIELD 14-71 SUPERCHRGR. BASE Sml./Offset Port 4.23"x14.95" .060". Paper w/sil. ctg.(1)
1040.3	KOB./LITTLEFIELD 14-71 SUPERCHRGR. BASE Port 4.23"x14.95" .030".Paper w/silicone coating.(1)
1059	KOB. 14-71 SUPERCHARGER BASE Small/Offset Port 4.23"x8.75" .060".Paper w/silicone coating.(1)
1068	LITTLEFIELD 8-71 SUPERCHARGER BASE SPLIT Port 4.0"x12.37" .060". Paper w/silicone coating.(1)
INJECTOR BASE GASKETS	
1176	PSI SCREW INJECTOR BASE .020". RCC COPPER.(1)
1069.2	ENDERLE INJECTOR BASE Port 4.00"x12.25" .050". Steelcore laminate w/silicone coating.(1)
1069	ENDERLE INJECTOR BASE Port 4.00"x12.25" .060". Paper w/silicone coating.(1)
1070	KOBELCO INJECTOR ADAPTER PLATE Port 4.40"x16.25" .060". Paper w/silicone coating.(1)
1129	KOB./SSI 14-71 T/F INJECTOR BASE Port 4.55"x9.52" .100".Steelcore laminate w/silicone coating.(1)
1013	UNIVERSAL INJECTOR BASE BUZZARDCATCHER Port 4.40"x15.25" .060". Paper w/silicone coating.(1)
1045	UNIVERSAL INJECTOR BASE SPLIT PORT 3.82"x12.11" .060". Paper w/silicone coating.(1)
1130	UNIV. INJECTOR BASE ALL SEASON Port 4.40"x12.38 .080". Molded rubber/steelcore w/limiters.(1)
TRANSMISSION & DIFFERENTIAL GASKETS	
1043	FORD 9" REAR END COVER .031". Paper w/silicone coating.(1)

DID YOU KNOW? JR. DRAGSTER & KARTING
GASKETS,NO PROBLEM AT FLATOUT





DIESEL I-6 & V-8 RCC COPPER, MLS & GRAPHITE HEAD GASKETS	
9041	CUMMINS B-SERIES 5.9L I-6 12V RCC COPPER.(1)
9076	CUMMINS B-SERIES 5.9L I-6 12V RCC COPPER w/gas vents.(1)
9712	CUMMINS B-SERIES 5.9L I-6 24V RCC COPPER w/gas vents.(1)
9652	CUMMINS B-SERIES 5.9L I-6 12V RCC COPPER w/o coolant holes.(1)
9653	CUMMINS B-SERIES 5.9L I-6 12V RCC COPPER w/o coolant holes & w/gas vents.(1)
9717	CUMMINS B-SERIES 5.9L I-6 24V RCC COPPER w/o coolant holes.(1)
9056	CUMMINS B-SERIES 5.9L I-6 12/24V RCC COPPER.(1)
9673	CUMMINS B-SERIES 5.9L I-6 12/24V RCC COPPER w/o coolant holes & w/gas vents.(1)
9049	FORD/NAVISTAR 7.3L '94-'03 RCC COPPER.(2)
9655	FORD/NAVISTAR 7.3L '94-'03 RCC COPPER w/modified coolant holes for advanced combustion seals.(2)
9397	FORD/NAVISTAR 7.3L '94-'03 MLS .065" THICK & 4.140" BORE.(1)
9627	FORD/NAVISTAR 6.0L .060" THICK & 3.800" BORE. Armor-Wire Ring/GRAPHITE w/silicone coating.(2)
9581	FORD/NAVISTAR 6.0L .060" THICK & 4.150" BORE. Armor-Wire Ring/GRAPHITE w/silicone coating.(2)
9625	FORD/NAVISTAR 7.3L .060" THICK & 4.580" BORE. Armor-Wire Ring/GRAPHITE w/silicone coating.(2)
9271	GM/CHEVY 6.5L '91-'95 RCC COPPER .(2)
9430	GM/CHEVY 6.5L '91-'95 MLS .045" THICK & 4.100" BORE L/S.(1)
9431	GM/CHEVY 6.5L '91-'95 MLS .045" THICK & 4.100" BORE R/S.(1)
9679	GM/CHEVY 6.6L '01-'06 DURAMAX L & R RCC COPPER.(2)
9432	GM/CHEVY 6.6L '01-'06 DURAMAX MLS .040" THICK & 4.100" BORE L/S.(1)
9433	GM/CHEVY 6.6L '01-'06 DURAMAX MLS .040" THICK & 4.100" BORE R/S.(1)
CUMMINS 5.9L B-SERIES I-6 PERFORMANCE INTAKE GASKETS	
8037	12/24V .045". Steelcore laminate w/release coating.(1)
8037C	12/24V .050".RCC COPPER.(1)
8037A	12/24V .050".RCA ALUMINUM.(1)
DIESEL PERFORMANCE EXHAUST & TURBO GASKETS	
7054S	12V Port 1.42"x1.92". .065" STEELCLAD/GRAPHITE.(6)
7053	24V Round Port 1.70" Dia. .060" GRAPHITE.(6)
7053C	24V Round Port 1.70" Dia. .065" RCC COPPER.(6)
7053S	24V Round Port 1.70" Dia. .065" STEELCLAD/GRAPHITE.(6)
7055C	12/24V TURBO BASE Split Port 1.21"x1.89". .060" RCC COPPER.(1)
7055S	12/24V TURBO BASE Split Port 1.21"x1.89". .065"STEELCLAD/GRAPHITE.(1)
7129S	12/24V TURBO BASE Open Port 1.89"x2.57". .065" STEELCLAD/GRAPHITE.(1)
7116S	GM/CHEVY 6.6L DURAMAX TURBO BASE Port 2.49"x3.55". .065" STEELCLAD/GRAPHITE.(1)
DIESEL MISCELLANOUS GASKETS	
6066	CUMMINS B-SERIES 5.9L I-6 12V. Molded silicone rubber.(6)
1039	CUMMINS B-SERIES 5.9L I-6 12/24V CROSSOVER .050". Steelcore laminate w/release coating.(1)
1039A	CUMMINS B-SERIES 5.9L I-6 12/24V CROSSOVER .031".RCA ALUMINUM.(1)
1039C	CUMMINS B-SERIES 5.9L I-6 12/24V CROSSOVER .031".RCC COPPER.(1)
1158C	CUMMINS B-SERIES 5.9L I-6 12V AIR PLENUM .064".RCC COPPER.(2)
1159C	CUMMINS B-SERIES 5.9L I-6 12/24V AIR PLENUM .064".RCC COPPER.(2)
1121	FORD/NAVISTAR 7.3L Front Cover L/S. Silicone.(1)
1120	FORD/NAVISTAR 7.3L Front Cover R/S. Silicone.(1)
KARTING & JR. DRAGSTER RCC COPPER & GRAPHITE HEAD GASKETS	
9283	BRIGGS 305 RCC COPPER.(1)
9283S	BRIGGS 305 STEELCLAD/GRAPHITE .060".(1)
9662	BRIGGS ANIMAL RCC COPPER.(1)
9128	BRIGGS ANIMAL RCC COPPER w/embossed combustion seal.(1)
9661	BRIGGS ANIMAL RCC COPPER w/embossed combustion seal & w/o oil drainback hole.(1)
9702	BRIGGS ANIMAL GRAPHITE .045". Armor w/silicone coating.(1)
9290	BRIGGS ANIMAL GRAPHITE .050". Armor w/silicone coating.(1)
9703	BRIGGS ANIMAL THERMAFLOW GRAPHITE .045" w/o armor w/silicone coating.(1)
9006	BRIGGS FLATHEAD 5 HP GRAPHITE .050".(1)
9637	BRIGGS FLATHEAD 5 HP RCC COPPER.(1)
9129	BRIGGS RHINO RCC COPPER.(1)
9007	STK. BRIGGS BLOCKZILLA 1.RCC COPPER.(1)
9719	BRIGGS BLOCKZILLA w/.140" Overbore (2.780").RCC COPPER.(1)
9720	BRIGGS BLOCKZILLA w/.194" Overbore (2.836").RCC COPPER.(1)
9273	STK. BRIGGS BLOCKZILLA 2/3.RCC COPPER.(1)
9666	BRIGGS BLOCKZILLA 2/3 .140" Overbore.RCC COPPER.(1)
9667	BRIGGS BLOCKZILLA 2/3 .194" Overbore.RCC COPPER.(1)
9668	BRIGGS BLOCKZILLA 3 3.0" BIG BORE.RCC COPPER.(1)



Toll Free Tech Line 877-837-9200

DID YOU KNOW..FLATOUT OFFERS METAL FAB. SERVICES FOR RACING?



KARTING & JR. DRAGSTER INTAKE GASKETS	
8087	BRIGGS ANIMAL .050". Steelcore laminate w/silicone coating.(1)
8073	BRIGGS BLOCKZILLA 2/3 .050". Steelcore laminate w/silicone coating.(1)
KARTING & JR. DRAGSTER HEADER GASKETS	
7079C	BRIGGS ANIMAL RCC COPPER Port Dia. .940".(1)
7079M	BRIGGS ANIMAL SABERSEAL MLS Port Dia. .940".(1)
7079S	BRIGGS ANIMAL STEELCLAD/GRAPHITE Port Dia. .940".(1)
7117A	BRIGGS RHINO RCA ALUMINUM Port Dia. 1.75".(1)
KARTING & JR. DRAGSTER MISCELLANEOUS GASKETS	
6027	BRIGGS ANIMAL Valve Cover .050". Steelcore laminate w/silicone coating.(1)
6023	BRIGGS BLOCKZILLA 2/3 Valve Cover .050". Steelcore laminate w/silicone coating.(1)
6078	BRIGGS VANGUARD 61CI Valve Cover .060". Paper w/silicone coating.(2)
1063	BRIGGS 5HP FLATHEAD CARB DIAPHRAGM Gasket .010". Viton/poly re-enforced.(1)
1171	BRIGGS 5HP FLATHEAD FUEL TANK .060". Paper w/silicone coating.(1)
1164	BRIGGS ANIMAL Side Cover .050". Steelcore laminate w/silicone coating.(1)
S9572	BRIGGS ANIMAL COMPLETE Gasket Set w/Armor-GPC Head, V/C, Side Cover, Header & Intake.(5)
STAINLESS STEEL COMBUSTION SEAL WIRE	
2295	O-Ring Wire .031".(15')
2295.2	O-Ring Wire .031".(175' 1LB. Roll)
2201	O-Ring Wire .041".(15')
2201.2	O-Ring Wire .041".(175' 1LB. Roll)
2202	O-Ring Wire .051".(15')
2202.2	O-Ring Wire .051".(175' 1LB. Roll)
UNIVERSAL TURBO, EXHAUST & HEADER COLLECTOR GASKETS	
7126S	TURBONETICS TURBO BASE Port 2.83"x3.23". .065".STEELCLAD/GRAPHITE.(1)
7123S	TURBONETICS TURBO TUBE INLET Port 1.60" Dia. .065".STEELCLAD/GRAPHITE.(1)
7124S	TURBONETICS TURBO TUBE OUTLET Port 1.51" Dia. .065".STEELCLAD/GRAPHITE.(1)
7161C	PRECISION TURBO BASE Port 3.70"x4.17" .060".RCC COPPER.(1)
7029	2.5" COLLECTOR 3-Bolt .060".GRAPHITE.(2)
7029C	2.5" COLLECTOR 3-Bolt .060".RCC COPPER.(2)
7029S	2.5" COLLECTOR 3-Bolt .065".STEELCLAD/GRAPHITE.(2)
7030	3.0" COLLECTOR 3-Bolt .060".GRAPHITE.(2)
7030C	3.0" COLLECTOR 3-Bolt .060".RCC COPPER.(2)
7030S	3.0" COLLECTOR 3-Bolt .065".STEELCLAD/GRAPHITE.(2)
7036	3.5" COLLECTOR 3-Bolt .060".GRAPHITE.(2)
7036C	3.5" COLLECTOR 3-Bolt .060".RCC COPPER.(2)
7036S	3.5" COLLECTOR 3-Bolt .065".STEELCLAD/GRAPHITE.(2)
7180	3.5" COLLECTOR 4-Bolt .060".GRAPHITE.(2)
7180S	3.5" COLLECTOR 4-Bolt .065".STEELCLAD/GRAPHITE.(2)
7165	4.0" COLLECTOR 3-Bolt .060".GRAPHITE.(2)
7165C	4.0" COLLECTOR 3-Bolt .060".RCC COPPER.(2)
7165S	4.0" COLLECTOR 3-Bolt .065".STEELCLAD/GRAPHITE.(2)
7167	5.0" COLLECTOR 4-Bolt .060".GRAPHITE.(2)
UNIVERSAL V-8 PERFORMANCE INTAKE GASKETS BLANKS	
8081.3	UNIVERSAL/SMALL BLANK Intake 3"x24" .030". Paper w/silicone coating one side. Trim to fit.(2)
8081	UNIVERSAL/SMALL BLANK Intake 3"x24" .060". Paper w/silicone coating one side. Trim to fit.(2)
8081.2	UNIVERSAL/SMALL BLANK Intake 3"x24" .120". Paper w/silicone coating one side. Trim to fit.(2)
8082.3	UNIVERSAL/LARGE BLANK Intake 6"x24" .030". Paper w/silicone coating one side. Trim to fit.(2)
8082	UNIVERSAL/LARGE BLANK Intake 6"x24" .060". Paper w/silicone coating one side. Trim to fit.(2)
8082.2	UNIVERSAL/LARGE BLANK Intake 6"x24" .120". Paper w/silicone coating one side. Trim to fit.(2)

GENERAL INFORMATION

Flatout Group was established in 1998. We are located in Mundelein, IL., 35 miles Northwest of Chicago. Our core staff has a total of over 50 years of Industrial, Automotive and Heavy-Duty gasketing/engineering expertise.

Flatout Gaskets is proud to offer a solid productline of high performance gaskets. We use only the best grade materials, compounds and coatings. Combined with superior product designs, our gaskets fit better, have excellent bore, bolt-hole and port locations. Flatout Gaskets perform outstanding in today's extreme and demanding performance engine applications. Our versatile manufacturing capability allows us to produce custom made gaskets for a single customer or volume shipments for the engine builder or WD.

Our goal is to provide our customers with the right products, customized if necessary available when they need them, at a fair price. We strive for short lead-times and on-time deliveries. We believe that one-on-one customer service and technical support is extremely important.

TERMS and CONDITIONS

LIMITATION OF REMEDIES:
If any Flatout Gasket is defective, the purchaser's exclusive remedy is reimbursement of the sales price of the good. In no event shall Flatout Gaskets or Flatout Group, LLC. be liable for incidental or consequential damages.

WARRANTY/RETURNS:
All Flatout Group products are warranted to be free of defects in material and workmanship. Purchaser must determine suitability for use. Any returns must be made before product is installed or used. A Return Goods Authorization # (RGA) must be provided/approved by Flatout Group before the return of any goods. Flatout Group will replace or issue credit on any of our products found defective after factory inspection. Flatout Group, LLC. is limited to replacement cost of our product only.

SHORTAGE CLAIMS:
Any shortage must be reported within 5 business days from receipt of shipment. Please include invoice number and date.

**FLATOUT GASKETS IS A DIVISION OF
FLATOUT GROUP, LIMITED LIABILITY COMPANY.**



Toll Free Tech Line 877-837-9200

